


MĚX

SWITCH
ON
THE GOOD
TIMES.



PRODUCT CATALOG
2026 - Vol.1 (Engling Ver.)

PEN K

MĚX

METRIX

ACSmith.

PENTAIR

CUCKOO
MĚX

MEX Thoughtfully designed appliances for modern living.

“Home” is more than just a place to live — it’s where we can truly be ourselves.

Simple everyday moments — warm water at the perfect temperature from the very first second, a favorite cup of coffee on the counter each morning, or the aroma of food gently filling the home — these are what ‘home’ means to MEX.

MEX understands that life at home is filled with details beyond what we see — the small daily frustrations that quietly build up when things at home don’t work as they should, and the meaningful moments that are sometimes interrupted by little inconveniences that should never happen.

What if housework didn’t always have to come with exhaustion?

MEX believes that great home appliances should do more than simply function — they should understand the way you live. A cooktop with precise control transforms cooking into moments worth sharing. A thoughtfully designed sink keeps every task smooth and effortless. A water heating system with consistent temperature control turns every shower into a true moment of relaxation. When everything works exactly as it should, what remains are the moments that truly matter. When every little detail is thoughtfully cared for, life at home no longer feels like something to get through — but something to fully enjoy, every single day.

MEX, SWITCH ON THE GOOD TIMES.



Explore our Products

Oven and Microwave Oven	02
Hob	09
Hood	16
Refrigerator	30
Dishwasher & Dish Dryer	32
Composite Sink	37
Stainless Steel Sink	52
Tap	70
Small Appliance	79
Cordless Vacuum Cleaner	89
Air Purifier	91
Storage Water Heater	94
Water Heater	99
Water Dispenser	109
Household Water Filter	112
Drinking Water Purifier	121



01

Oven & Microwave Oven

Designed to inspire creativity at home.



Table Top Microwave Oven

Table Top Microwave Oven

PM411

NEW
ARRIVAL



- Capacity: 20 Liters.
- Microwave power: 700W.
- 5 adjustable power levels.
- Cooking timer up to 35 minutes.
- Defrost function - select by time or weight for precise thawing.
- Rotary knob control for easy power level and timer adjustment.
- Turntable system for even heat distribution throughout the cavity.

- Glass turntable with centre ring support Ø25.5 cm (approx. 10-inch capacity).
- Polytetrafluoroethylene (PTFE)-coated interior - strong, scratch-resistant, food-safe, and easy to clean.
- Quick Start function - reaches operating temperature in under 30 minutes.



Table Top Microwave Oven & Grill

Table Top Microwave Oven with Grill

M120E



- Capacity: 20 Liters.
- Microwave power: 800W.
- Grill power: 1,000W.
- Supports microwave-only, grill-only, and combination cooking modes.
- Automatic cooking timer up to 95 minutes.
- Quick Start function — operational within 30 seconds.
- Child Lock — control panel lock for added household safety.
- 8 Auto Cooking Programs (SmartCook 8).
- Defrost function — select by time or weight for precise thawing.

- Digital display panel.
- Button and rotary knob control for intuitive operation.
- Turntable system for even heat distribution — Ø24.5 cm (approx. 9-inch capacity).
- Grill rack included.
- PTFE-coated interior — strong, scratch-resistant, food-safe, and easy to clean.




PMG225TP

NEW
ARRIVAL



- Capacity: 25 Liters.
- Microwave power: 900W.
- Grill power: 1,000W.
- Supports microwave-only, grill-only, and combination cooking modes.
- Automatic cooking timer up to 95 minutes.
- Quick Start function - operational within 30 seconds.
- Child Lock - control panel lock for added household safety.
- 8 Auto Cooking Programs (SmartCook 8).
- Defrost function - select by time or weight for precise thawing.
- Digital display panel.

- Button and rotary knob control for intuitive operation.
- Turntable system for even heat distribution - Ø28.8 cm (approx. 11-inch capacity).
- Grill rack included.
- PTFE-coated interior - strong, scratch-resistant, food-safe, and easy to clean.



SmartCook 8
8 Auto Cooking Menu



Quick Start 30S
30-Second Quick Start



Smart Defrost
Fast Defrost

Built-in Microwave Oven

Built-in Microwave Oven

CM925BX | Built-in Microwave Oven for Furniture Installation



- External structure: black tempered glass with stainless steel interior walls
- Height 40 cm. / Capacity 25 Litres
- Cooking power 900 Watts / Grilling power 1,000 Watts
- Can bake and grill simultaneously
- Defrost frozen food by time or weight
- 8 automatic cooking menu programs
- Digital display
- Touch control operation
- Automatic cooking timer up to 95 minutes
- Quick Start button - 30-second quick heating function
- Safety Child Lock system - prevents accidental contact
- Glass turntable plate diameter 31.5 cm.
- Includes grill rack



MM625BX | Built-in Microwave Oven for Furniture Installation



- External and internal structure: stainless steel
- Height 40 cm. / Capacity 25 Litres
- Cooking power 900 Watts / Grilling power 1,000 Watts
- Can bake and grill simultaneously
- Defrost frozen food by time or weight
- 8 automatic cooking menu programs
- Digital display
- Push button and Electronic push knob control
- Automatic cooking timer up to 95 minutes
- Quick Start button - 30-second quick heating function
- Safety Child Lock system - prevents accidental contact
- Glass turntable plate diameter 31.5 cm.
- Includes grill rack



MM625S | Built-in Microwave Oven for Furniture Installation



- External and internal structure: stainless steel
- Height 40 cm. / Capacity 25 Litres
- Cooking power 900 Watts / Grilling power 1,000 Watts
- Can bake and grill simultaneously
- Defrost frozen food by time or weight
- 8 automatic cooking menu programs
- Digital display
- Push button and knob control
- Automatic cooking timer up to 95 minutes
- Quick Start button - 30-second quick heating function
- Safety Child Lock system - prevents accidental contact
- Glass turntable plate diameter 31.5 cm.
- Includes grill rack



Multi-Function Oven

Multifunctional Built-in Oven



► **3D Cooking + Steam Base**
Makes cooking easier with special meals like roast chicken and pork ribs - retains texture and juiciness of food beautifully.

VRM9752B SteamBase

Multi-Function Built-in Electric Oven

- External structure: black tempered glass / Interior coated with enamel for easy cleaning
- Size 60 cm. / Net capacity 75 Litres
- 10 cooking programs including 3D Cooking program
- Cooking temperature setting 50-270°C
- Digital display (white)
- 2 control knobs for program and temperature
- Clock and electronic touch cooking timer system
- Timer with alarm bell function
- Automatic cooking timer
- Automatic delay-start cooking timer
- Steam Base Technology - uses steam to assist baking, keeping food more juicy and tender
- Steam Cleaning - assists oven cleaning with steam
- Soft Close door
- Full-panel double-glazed safety glass door (2 layers):
 - > Outer layer: high-quality black glass
 - > Inner full panel: Low-e Glass - reduces heat loss, saves energy, and removable for easy cleaning
- Ventilated Cool Door system - reduces front door heat
- 5 food rack positions with accessories: 1 large baking tray and 2 grill racks
- Energy efficiency Class A
- Made in Europe



► **3D Cooking + Steam Base**
Makes cooking easier with special meals like roast chicken and pork ribs - retains texture and juiciness of food beautifully.

VRM9752X SteamBase

Multi-Function Built-in Electric Oven

- External structure: black tempered glass / stainless steel / Interior coated with enamel for easy cleaning
- Size 60 cm. / Net capacity 75 Litres
- 10 cooking programs including 3D Cooking program
- Cooking temperature setting 50-270°C
- Digital display (white)
- 2 control knobs for program and temperature
- Clock and electronic touch cooking timer system
- Timer with alarm bell function
- Automatic cooking timer
- Automatic delay-start cooking timer
- Steam Base Technology - uses steam to assist baking, keeping food more juicy and tender
- Steam Cleaning - assists oven cleaning with steam
- Soft Close door
- Full-panel double-glazed safety glass door (2 layers):
 - Outer layer: high-quality black glass
 - Inner full panel: Low-e Glass - reduces heat loss, saves energy, and removable for easy cleaning
- Ventilated Cool Door system - reduces front door heat
- 5 food rack positions with accessories: 1 large baking tray and 2 grill racks
- Energy efficiency Class A
- Made in Europe



Oven and Microwave Oven

Multifunctional Built-in Oven

Built-in oven and microwave oven set **Special Price**



Set 01:

**Microwave Oven
CM925BX**

+

**Oven
VRM9752B**



Set 02:

**Microwave Oven
MM625BX**

+

**Oven
VRM9752X**

Multi-Function Oven

Multifunctional Built-in Oven



► **3D Cooking + Steam Base**
Makes cooking easier with special meals like roast chicken and pork ribs - retains texture and juiciness of food beautifully.

VRM9652B1 SteamBase

Multi-Function Built-in Electric Oven

- External structure: black tempered glass / Interior coated with enamel for easy cleaning
- Size 60 cm. / Net capacity 65 Litres
- 9 cooking programs including 3D Cooking program
- Cooking temperature setting 50-260°C
- Digital display (white)
- 2 control knobs for program and temperature
- Clock and electronic touch cooking timer system
- Timer with alarm bell function
- Automatic cooking timer
- Steam Base Technology - uses steam to assist baking, keeping food more juicy and tender
- Steam Cleaning - assists oven cleaning with steam
- Full-panel double-glazed safety glass door (2 layers):
 - > Outer layer: high-quality black glass
 - > Inner full panel: Low-e Glass - reduces heat loss, saves energy, and removable for easy cleaning
- Ventilated Cool Door system - reduces front door heat
- 5 food rack positions with accessories: 1 large baking tray, 1 small baking tray, and 1 grill rack
- Energy efficiency Class A
- Made in Europe



► **3D Cooking + Steam Base**
Makes cooking easier with special meals like roast chicken and pork ribs - retains texture and juiciness of food beautifully.

VRM9651B SteamBase

Multi-Function Built-in Electric Oven

- External structure: black tempered glass / Interior coated with enamel for easy cleaning
- Size 60 cm. / Net capacity 65 Litres
- 9 cooking programs including 3D Cooking program
- Cooking temperature setting 50-260°C
- Maximum cooking time up to 100 minutes
- 3 control knobs for program, time, and temperature
- Steam Base Technology - uses steam to assist baking, keeping food more juicy and tender
- Steam Cleaning - assists oven cleaning with steam
- Full-panel double-glazed safety glass door (2 layers):
 - > Outer layer: high-quality black glass
 - > Inner full panel: Low-e Glass - reduces heat loss, saves energy, and removable for easy cleaning
- Ventilated Cool Door system - reduces front door heat
- 5 food rack positions with accessories: 1 large baking tray, 1 small baking tray, and 1 grill rack
- Energy efficiency Class A



Oven and Microwave Oven

Multifunctional Built-in Oven

Built-in oven and microwave oven set **Special Price**



Set 03:

Microwave Oven
CM925BX



Oven
VRM9652B1



Set 04:

Microwave Oven
MM625S



Oven
VRM9651B



Combination Microwave Oven

HIGH SPEED COOK

helps save time and energy with its multifunctional features—warming, baking, and grilling all in one. Enjoy the convenience of a single, all-in-one appliance that makes cooking more enjoyable and delicious in every dish.

Combination Microwave Oven

Built-in Combination Oven with Microwave Function

CM650B



45 cm. Height Combination Microwave Oven

- Material : Black glass
- Capacity 50 litres.
- Maximum microwave power 900 watt.
- 5 levels microwave power setting (100 ,300 ,500 ,700 and 900 Watt)
- 8 oven programs
- 3 combination microwaven oven programs
 - Microwave cooking combined with convection fan and ring heating element
 - Microwave cooking combined with grill heating element and convection fan
 - Microwave cooking combined with bottom heating element, convection fan, and ring heating element
- 3 defrosting programs
- 13 auto menu
- Smart full touch and slider control bar
- White color digital display
- Maximum cooking temperature 250 °C
- Automatic cooking timer
- Interior lighting
- Child safety lock
- Triple glasses door
- 3 side wire racks.
- Accessories : 1 enamel tray , 1 glass tray and 1 wire shelf
- Nominal power : 3.0 kW. 220 – 230 V. , 50 Hz.



Free Standing Cooker

Free Stand Cooker

CMG469X

Free Stand Cooker stainless steel 60 cm.

- Cooker body has wall mounted leg for safety
- Energy Efficiency Class : A
- Made in Europe



Gas Hob

- 4 SABAF gas burners included
- Front left : Tripple flame burner 3.8 kW.
- Front right : Power 1,000 W
- Rear left : Power 1,750 W
- Rear right : Power 1,750 W
- Metal pan support
- A metal trivet for Wok support
- Premium Glass cover with rubber bumpers
- Electric auto-ignition
- Safety Valve

MULTI FUCTIONAL OVEN

- Capacity 65 Litres
- 9 Cooking programmes
- Cooking temperature 260° C
- Easily Knob control to set up Program and Temperature
- White Digital Display
- Electronic Cooking Timer
 - > Automatic Alarm
 - > Automatic Cooking
 - > Automatic Delay start timer
- Steam Cleaning
- Tempered glass Door with 2 glasses
 - > Full inner door glass with Low-e glass to support energy saving and easily remove the door glass
- Oven cavity Light 1 unit (1 x 25 Watt.)
- 5 levels of detachable rack side support
- Accessories : Enamelled Tray 1 pc
- Rack 2 pcs



Symbol Guideline:

	Energy Class: A		Grill		Top heat, Fan assisted
	Cool Front Door		High Grill		Bottom & Top heat with Fan assisted
	Touch Control		Hot Air & Fan		Bottom & Top heat with Fan assisted
	Quick Start 30 sec		Grill with Fan		Bottom heat with Hot Air Fan assisted
	Safty Child Lock		High Grill with Fan		Light in Oven Cavity
	Auto Cooking Timer		Bottom heating		Stream Cleaning with Bottom Heating
	Microwave		Top Heating		Steam Base : Cooking with Steam assisted
			Bottom & Top Heating		Defrost

02

Hob

Upgrading the look and feel of your kitchen

Symbol Guideline:



Touch Control



Slide Control



Pause



Safety Valve
Automatic Gas cut



Auto cooking
Timer



Safety Child Lock



Speed up cooking
temperature



Simmering
Program



Automatic
Electronic Ignition



Automatic Electronic Ignition
with Battery D 1.5 V



Automatic Electronic Ignition
with Battery C 1.5 V



Induction Hob with Ceramic
Glass base

INDUCTION HOB

Rapid Heat Generating,
Safety and Energy Saving
with Induction Hob

"The Electromagnetic Cooker" or "Induction Cooker" has been used throughout for cooking because it assures the customer high safety. This is because an electromagnetic field is generated by an electronic circuit, which will not cause the heat around the furnace glass, instead, the heat will be generated only on the point of the bottom container that has been conducted, as a result, it doesn't heat up the furnace glass. Therefore, it makes a comfortable and safe consumption for consumers.



HIM364



- High quality Ceramic Glass base
- 4 Cooking Zones
- Front left : 21.4 cm. Power 2,000 W
- Front right : 15.5 cm. Power 1,500 W
- Rear left : 15.5 cm. Power 1,500 W
- Rear right : 18.9 cm. Power 2,000 W
- 9 levels of power cooking
- Individual timer for all 4 cooking-zones (1-99 min).
- "A" Function for Automatic heat up control
- "U" Function for warming or simmering
- Residue heat indicator
- Overflow Protection Auto switch off when water pour on cooking zones
- Automatic pan detection.
- Max Nominal Power 7,000 W



HIM432



- High quality Ceramic Glass base
- 2 Cooking Zones
- Front : power 1,500 W
Power Booster 1,800 W
- Rear : power 2,000 W
Power Booster 2,300 W
- Slide Control 9 levels of Power cooking
- Individual timer for all 2 cooking each zones (1-99 min)
- "A" Function for Automatic heat up control
- "U" Function for warming or simmering
- Residue heat indicator
- Overflow Protection Auto switch off when water pour on cooking zones
- Automatic pan detection.
- Child safety lock function
- Max Nominal Power 3,500 W



VFL6532



- 30 cm. built in induction hob with Front-bevelled
- EUROKERA ceramic glass
- 2 cooking zones E.G.O.
Front : 190x210 MM. Power 2,100 W
Power Booster 3,000 W
Rear : 190x210 MM. Power 2,100 W
Power Booster 3,000 W
- Touch Control
- 9 power levels heat setting with Slide Control
- Cooking Timer : 1-120 minutes
- Individual timer for all 2 cooking zones (1-120 min)
- The Bridge function allows you to combine two Cooking zones to a single large zone
- "A" function : Automatic heat up function
- "U" function : Keep warm function
- Pause function : Left a hob for 10 min
- Recall function : Allows to recall the last settings selected in 6s after accidentally turned off
- Child safety lock
- Pot detection
- Residue heat indicator
- Nominal Power 3,700 W 220-240V., 50-60 Hz.
- Made in Italy



Ceramic Hob

Built-In CERAMIC Hob with Ceramic Glass Base

Better way to be HAPPY WITH COOKING

*MEX ORIGINAL PATENT



HVH632N



- Horizontal Hob widen space between cooking zone 10 cm.
- High quality ceramic base
- 2 cooking zones
LEFT: 18.6 cm. Power 1,800 W
RIGHT: 15.5 cm. Power 1,200 W
- 9 Levels of power cooking
- Individual timer for all 2 zones 99 min
- Residue heat indicator
- Nominal Power 3,000 W
- MEX ORIGINAL PATENT DESIGN



More details
and review
on website



HVN632




- NEW DESIGN widen space between zones 8 cm. for conveniently use
- High quality ceramic base
- 2 cooking zones
FRONT : 15 cm. Power 1,200 W
REAR : 18 cm. Power 1,800 W
- 9 levels of power cooking
- Individual timer for all 2 cooking zones (99 min)
- Residue heat indicator
- Nominal Power 3,000 w
- MEX ORIGINAL PATENT DESIGN



More details
and review
on website



HVN264



- Base Ceramic Glass.
- 4 cooking zones
Front left : 20 cm. Power 1,800 W
Front right : 18 cm. Power 1,500 W
Rear left : 21.5 cm. Power 2,000 W
Rear right : 16.5 cm. Power 1,200 W
- 9 levels of power cooking
- Individual timer for all 4 cooking zones (1-99 min).
- "A" function : Automatic heat up function
- "U" function : Keep warm function
- Residue heat indicator
- Child safety lock
- Nominal Power 6,500 W



VRH6232



- Base Ceramic Glass 30 cm.
- Premium glass from EuroKera
- 2 cooking zones E.G.O. Burner:
- Front: Hi-Light Burner
Ø 140 mm. Power 1,200W
- Rear : Hi-Light Burner Double Rings
Ø 120/180mm. Power 700/1700 W
- Touch Control
- 9 levels of power cookwith Power booster
- Individual timer for all 2cooking zones 1-99 min
- Residue heat indicator
- Child safety lock
- Made in Italy
- Nominal Power 3,700 W

MADE IN ITALY



Glass Base Gas Hob

Built in Gas Hob Tempered Glass

THOUGHTFUL INNOVATION IN EVERY DETAIL

V7827CS



VELVET MATTE BLACK DESIGN

Beveled glass with elegant edges, fingerprint-resistant and easy to clean.



FULL AREA CAST IRON PAN STAND

Full-area cast iron grates for smooth pan movement and safe cooking experience.



TRIPLE RING BURNER 5,000 W

3-ring burner with adjustable flame levels for precise heat control.



BURNER SPACING : 44 CM

Extra-wide burner layout accommodates two large pots at once for simultaneous cooking.


- Built-in gas hob
- New Velvet Matte Black glass design - sleek, fingerprint-resistant, easy to clean
- 2 brass Triple Ring burners (Ø 135 mm), 5,000W each
- Triple Ring Burner: 3-ring flame — all rings dim simultaneously for precise heat control
- Burner spacing: 44 cm — fits two large pots side by side
- Full Area Cast Iron Pan Stand — extra thick, strong and durable
- Metal guide lock at rear for easy pan stand placement
- Silicone pads on underside prevent glass scratching
- MEX Air Badge ventilation design
- Black knob controls — MEX signature design
- Auto electronic ignition using D 1 x 1.5V battery
- Auto safety valve gas cut-off



V7863TR



- Built in Gas Hob
- Strong Fiber Mesh Tempered Glass base all 4 sides-bevelled edge
- 2 Brass burners
- Left : Tripple Flame power 6,400 w
- Right : Tripple Flame power 6,400 w
- Innovative Triple Rings which can be offered simmering flame for all rings
- 2 small trivets for small pot
- Special designed Black Control Knob by MEX
- Electric auto-ignition, battery D 2 x 1.5 Volt
- Safety valve



STRONG FIBER MESH
TEMPERED GLASS



TRIPLE RING
BRASS BURNER



TRIPLE RING



Glass Base Gas Hob

Built in Gas Hob Tempered Glass

MORE HEAT MORE CONTROL

Newly designed gas hob with enhanced performance



FULL AREA FLAME

Heat is evenly distributed across the bottom of the cookware



BRUSHED METAL GREY

SCHOTT glass base from Germany with specially designed patterns and colors



FULLY BRASS BURNER SYSTEM

The burner set is made entirely of brass



SLEEK EASY TO TURN CONTROL KNOBS

Precise heat and flame control

VB7826MHR



Special Offer! 5-year glass warranty, subject to the specified warranty terms and conditions*

- 78 cm. built in gas hob
- SCHOTT [German Brand] Glass-base. Special designed Brushed-Metal Grey
- Extra ! Glass base Warranty for 5 years following specific Terms and Conditions*
- 2 large burner Ø135 mm. Flame Power 5,000 W
- New designed Burner with premium quality material
- Fully Brass Burner System
 - Gas pipe at the base made of Brass
 - Entire Burners made of Brass
- New Designed Outer Burner Full area flame to transfer heat all over
- Finely designed on gas valve to be adjustable up to 215° degree. To increase or reduce flames thoroughly
- Stainless steel base coating Grey Metal color
- Modern and strong designed pan support
- Accessories :
 - Small trivets 2 Qty
 - Heat reflector 2 Qty [To enhance cooking flame and cool down the heat on the glass base]
- Air ventilation hole on the base to control pressure balance in built-in cabinet.
- Modern Black Knob control
- Electric auto-ignition , battery D 1 x 1.5 Volt
- Flame failure gas safety valve



V626CR



- Built-in gas hob - cream color
- New minimal design with cream-colored Tempered Glass base
- "Lotus Flame" burner innovation - long curved flame directing heat straight to cookware
- 2 silver-coated brass burners, durable and long-lasting:
 - Left: double ring flame, 5,000W
 - Right: double ring flame, 5,000W
- "Simmer Flame" - low heat for melting butter, chocolate, or cooking baby food
- "High Power" mode - activates both flame rings simultaneously for maximum output
- Silver-coated 6-prong pan stand - stylish, strong and stable
- Black knob controls - MEX signature design
- Auto electronic ignition using D 1 x 1.5V battery
- Safety Valve: auto gas cut-off



More details and review on website



V7812MHR



- Built-in gas hob with heat reflector
- Strong Fiber Mesh Tempered Glass base - beveled on all 4 sides
- "Lotus Flame" burner - long curved flame directing heat to cookware
- 2 high-quality brass burners:
 - Left: double ring flame, 5,000W
 - Right: double ring flame, 5,000W
- "Simmer Flame" - low heat for melting butter, chocolate, or cooking baby food
- "High Power" mode - activates both flame rings simultaneously for maximum output
- Iron-coated heat reflector - improves heat delivery to cookware
- Iron-coated pan stand
- Auto electronic ignition using D 1.5V battery
- Safety Valve: auto gas cut-off



More details and review on website



Glass Base Gas Hob

Built in Gas Hob Tempered Glass

V7828MHR



- Built in Gas Hob with heat reflector
- Strong Fiber Mesh Tempered Glass base all 4 sides-bevelled
- 2 Brass burners
Left : Double Flame power 4,500 w
Right : Double Flame power 4,500 w
- Metal Heat Reflectors with Black color coating to enhance cooking power
- Metal pan supports
- 2 small trivets for small pot
- Special designed Black Control Knob by MEX
- Electric auto-ignition, battery D 2 x 1.5 Volt
- Safety valve



V2772MHR



- Built in Gas Hob with heat reflector
- Strong Fiber Mesh Tempered Glass base
- 2 Brass innovative "BONFIRE"
Left : Double Flame power 5,000w
Right : Double Flame power 5,000w
- Metal Heat Reflectors with Black color coating to enhance cooking power.
- Metal pan supports with Black color coating
- Electric auto-ignition , battery D 1.5 Volt
- Safety valve.



V7835C



- Built in Gas Hob
- Strong Fiber Mesh Tempered Glass base 4 sides-bevelled
- 3 Brass burners
Left : Double Flame power 5,000 w
Right : Double Flame power 5,000 w
Middle : Double Flame power 1,350 w
- Electric auto-ignition, battery D 1.5 Volt
- Safety Valve
- Metal pan supports



V7825C



- Built in Gas Hob
- Strong Fiber Mesh Tempered Glass base 4 sides-bevelled
- 2 Brass burners
Left : Double Flame power 5,000 w
Right : Double Flame power 5,000 w
- Electric auto-ignition, battery D 1.5 Volt
- Safety Valve
- Metal pan supports



V4731M



- Built in Gas Hob
- Strong Fiber Mesh Tempered Glass base
- 2 Brass burners
Left : Double Flame power 4,800 w
Right : Double Flame power 4,800 w
- Metal pan supports
- Small trivets for small pot
- Special designed Black Control Knob by MEX
- Electric auto-ignition, battery D 1.5 Volt
- Safety Valve
- Included 2 gas rubber For right and Left



V2732M



- Built-in gas hob
- High-quality Tempered Glass base
- 2 brass burners:
Left: double ring flame, 4,500W
Right: double ring flame, 4,500W
- Coated pan stand + 1 small cookware stand
- Knob controls - MEX signature design
- Auto electronic ignition using D 1 x 1.5V battery
- Auto safety valve gas cut-off



Stainless Steel Gas Hob

Built in Gas Hob Stainless Steel base

SB362X/4.2

MADE IN ITALY



- Stainless steel base
- 3 Gas Hob / 1 rapid hot plate
- Front left (Gas hob) : Ultra Triple Flame power 4,200 w
- Front right (Gas hob) : power 1,000
- Rear right (Gas hob) power 1,750 w
- Rear left (Electronic) : rapid hot plate size 14.5 cm. power 1,500 w
- Automatic electronic ignition
- Enamelled pan stands
- Wok support
- Made in Italy



MX7825C



- Stainless steel base
- 2 Gas Hob brass burners Ultra burner
- Left : Double Flame power 5,000 w
- Right : Double Flame power 5,000 w
- Automatic electronic ignition : battery D 1.5 Volt
- Safety Valve
- Cast iron pan stands



MX472M



- Built-in Gas Hob size 72 cm.
- High quality stainless steel base
- 2 Gas Hob brass burners
- Left : Double Flame power 4,800 w
- Right : Double Flame power 4,800 w
- Metal pan supports
- A small trivet for small pot.
- Special designed MEX control knob
- Electric auto-ignition, battery D 1.5 Volt
- Safety Valve
- Included 2 gas rubber hose holders



Hob Accessories

LPG gas pressure regulators — low-pressure type at 35 mbar outlet pressure. Suitable for built-in and household gas hobs. Ensures good heat output and low gas consumption.

Tips : Household gas hobs must use a low-pressure regulator at 35 mbar (0.5 psi) only. Using the wrong type can be dangerous.



SPR37S GH

- Gas pressure regulator with pressure gauge safety valve
- 2m PVC hose
 - 2 clamps



SPR37S FH

- Gas pressure regulator with safety valve
- 2m PVC hose
 - 2 clamps



SPR37S

- Gas pressure regulator with safety valve



S40

A degreaser used to remove grease from kitchen appliances and kitchen areas.

Net weight: 250 g

- Grease filters for range hoods and exhaust hood accessories
- Gas stoves and accessories
- Kitchen floors and walls



A093 SCRAPER

Ceramic hob cleaning scraper for food residue stuck on hob surface



A117

Stainless steel replacement blades for scraper
10 blades per box

03

Hood

Sophisticated in design, very efficient in use



Cooker Hood

Cooker Hood METRIX

METRIX

PLANA BL

- Hood with Down Draft installation
- Elegant design with new innovative
- Adjustable Up-Down Hood panel
- 1 high performance motor : 275 W
- Net extraction rate 710 m³/h. (IEC: EN61591)
- Touch Control on Perimeter with Tempered black glass
- 4 speeds, with intensive speed 10 minutes
- Low noise level just 70 dB(A). when max power (IEC: EN60704-3)
- Automatic delayed switch off 30 minutes
- Room Comfort Mode for slowly ventilate air inside the kitchen 24 hour timer.
- Filter Cleaning alarm
- LED Light
- Installed Counter with dept at least 80 cm
- Nominal power 290 W
- Made in Italy



MADE IN ITALY



STILINO-BL



- Modern wall-mounted cooker hood with a stainless steel box design, 90 cm. in width
- Features a striking and luxurious look with a black glass front panel
- CHIMNEY hood
- Touch panel
- Stainless steel / black glass
- 1 Motor : 250 W
- Gross extraction rate 1,020 m³/h.
- Net extraction rate 850 m³/h.
- 3 speeds and 1 extra high speed
- 2 LED lamps
- Aluminum oil filter
- 30 minutes delay time mode
- Made in Italy

MADE IN ITALY





NEW GENERATION OF HEALTH & COMFORT COOKER HOOD

More than exhaust — it's about protecting your health and improving comfort in the kitchen.



COOL FLOW INNOVATION

Enjoy cooking without the heat.

Powered by MEX's exclusive innovation, the cooling fan pulls air from above into an air curtain system, directing cool air toward the user to reduce heat around the cooktop and create a more comfortable cooking environment.

The Cool Flow system does more than provide cooling airflow during cooking. Acting as an air curtain, it creates a protective barrier between the cook and the cooktop, helping minimize exposure to smoke, grease fumes, and PM10 / PM2.5 particles for a cleaner, more comfortable cooking environment.

GLASS SMOKE VEIL



An auto-opening glass smoke shield that activates every time the hood is in use. It prevents smoke, steam, oil vapour, and PM10/PM2.5 dust from dispersing outward, maximising the efficiency of exhaust into the unit.

NEW DESIGN CONTROL



Easy to use with Easy Direct Touch and Gesture Control - just wave your hand. Includes a 5-minute Delay Timer to continue exhausting smoke, odour, and residual heat after cooking, leaving the kitchen fresh and clean.

NEW ELITE BLOWER GREATER EFFICIENCY



Equipped with a high-performance 170W BLDC (Brushless DC) motor for energy-efficient and quiet operation. The dual air intake system delivers powerful airflow up to 1,200 m³/h.

DUAL WHITE LED LIGHT




Cook with greater convenience and see food colors more clearly with dual 1.5W white LED lights.

HONEY COMB BAFFLE FILTER



MEX exclusive 3-layer Baffle grease filters provide professional-grade filtration performance, minimizing grease accumulation. Oil is directed into a removable bottom tray for effortless cleaning and easy maintenance.

NO OIL DRIP



The 33° angled Honey Comb Baffle Filter is designed to guide grease smoothly into the collection tray, preventing oil drips onto food. It efficiently traps grease particles, minimizes internal buildup, and comes with an easy-clean removable tray for hassle-free maintenance.

INNOVEN-B90

NEW
ARRIVAL



- Wall-mounted angled chimney hood — black, size 90 cm
- Body and chimney in black
- BLDC motor 170W — high efficiency, energy saving
- Max total extraction rate: 1,200 m³/hr
- Max net extraction rate: 1,050 m³/hr
- 3 speed levels
- Baffle Filter 3-layer — middle layer is Honey Comb stainless steel filter for maximum oil vapour capture
- Black oil drip tray — removable and washable
- Easy Direct Touch control + Gesture Control (wave to operate)
- Auto delay shut-off: 5 minutes
- LED lighting: 2 bulbs (2 x 1.5W) — dual white LED
- Full installation kit included: stainless steel insect screen (7 inch) + 3m air duct
- Extraction type
- Dimensions (W x D x H): 90.0 x 40.5 x 71.0–101.5 cm
- Power consumption: 178W, 220–240V, 50Hz
- Air duct size: Ø 180 mm





BAFFLE FILTER CHIMNEY HOOD

HONEY COMB
BAFFLE FILTER 3 Layer

Special Sloped Filter
with Oil tray

MEX designs BAFFLE FILTER by creating tripple filler and add thin filer at the middle to increase capability of grease and oil extraction and conveniently clean.



Baffle Filter Chimney Hood

Chimney Hood with Baffle Filter

K639BFDG90



- Wall-mounted chimney hood — modern box design, Dark Metallic Grey
- Black tempered glass front panel
- Large aluminium alloy motor: 410W
- Max total extraction rate: 1,300 m³/hr | Net: 1,050 m³/hr
- Baffle Filter 3-layer — middle layer is Honey Comb stainless steel filter
- Dark Metallic Grey oil drip tray — removable and washable
- Touch control
- 4 speed levels
- Auto delay shut-off: 3 and 7 minutes
- LED lighting: 2 bulbs
- Max power consumption: 412W



K638BFB90



- Modern Black color T-Shape Chimney Hood
- Front Panel with Black Glass beveled edge.
- 1 Motor : 410 W, Aluminium alloy housing with metal propeller
- Gross extraction 1,300 m³/h | Net extraction rate 1,050 m³/h
- Honey Comb Baffle filter
- Removable Oil tray easily clean
- 3 speeds and 1 extra high speed
- Power off delay timer 3 and 7 minutes
- LED-light 2 lamps
- Nominal power 412 W



K638BFX90



- Modern T-Shape Chimney Hood stainless steel
- Front Panel with Black Glass beveled edge.
- 1 Motor : 410 W, Aluminium alloy housing
- Gross extraction 1,300 m³/h | Net extraction rate 1,050 m³/h
- Honey Comb Stainless Steel Baffle tripple filter
- Removable Oil tray easily clean
- 3 speeds and 1 extra high speed
- Power off delay timer 3 and 7 minutes
- LED-light 2 lamps
- Nominal power 412 W



K611BFX90



- Chimney Hood stainless steel
- 1 Motor : 410 W, Aluminium alloy housing
- Gross extraction 1,300 m³/h | Net extraction rate 1,050 m³/h
- Honey Comb Stainless Steel Baffle tripple filter
- Removable Oil tray easily clean
- 3 speeds and 1 extra high speed
- LED-light 2 lamps
- Charcoal filter for circulation mode
- Nominal power 412 W



Chimney Hood

Wall Decoration Hood

K626CR



- Wall-mounted chimney hood — minimal design, box shape, cream color
- Body and chimney in cream
- Motor power: 350W — quiet, high-power, high-performance
- Max total extraction rate: 1,140 m³/hr | Net: 950 m³/hr
- Newly designed aluminium filter — 9-layer stacked panels for superior oil vapour filtration
- Modern white glass control panel — simple, intuitive symbols
- Touch control
- 3 speed levels + 10-minute Intensive mode
- Auto delay shut-off: 5 minutes
- Strip LED lighting: 2 bulbs (2 x 8W) — high brightness, up to 300 LUX at hob level for clear food visibility
- Extraction type
- Max power consumption: 366W



More details
and review
on website



KV737B90



- Wall-mounted chimney hood — curved glass, 90 cm
- Large aluminium alloy motor: 410W — heat-resistant, rust-free
- Max total extraction rate: 1,300 m³/hr | Net: 1,050 m³/hr
- Extra-large 5-layer aluminium filter
- 3 speed levels
- Auto delay shut-off: 3 and 7 minutes
- LED Bar lighting
- Max power consumption: 415W



K634B90



- Wall-mounted chimney hood modern box design, black, 90 cm
- Large aluminium alloy motor: 410W heat-resistant, rust-free
- Max total extraction rate: 1,300 m³/hr | Net: 1,050 m³/hr
- 5-layer aluminium filter
- 4 speed levels
- Auto delay shut-off: 3 and 7 minutes
- LED lighting: 2 bulbs
- Max power consumption: 412W



K634B60



- Wall-mounted chimney hood modern box design, black, 60 cm
- Aluminium alloy motor: 330W heat-resistant, rust-free
- Max total extraction rate: 1,050 m³/hr | Net: 850 m³/hr
- 5-layer aluminium filter
- 4 speed levels
- Auto delay shut-off: 3 and 7 minutes
- LED lighting: 2 bulbs
- Max power consumption: 332W



K633B90




- Wall-mounted chimney hood modern box design, black, 90 cm
- Motor power: 330W
- Max total extraction rate: 1,050 m³/hr | Net: 850 m³/hr
- 5-layer aluminium filter
- 3 speed levels
- Auto delay shut-off: 3 and 7 minutes
- LED lighting: 2 bulbs
- Max power consumption: 332W



FLAWLESS BLACK

Tweet Design

Elegant Black Glass Hood with fully Tempered glass panel High power motor, Made in Europe



Front cover can be opened to enhance grease exhaust power and easily removable filter with hold-open door closer system.

- Elegant Black Glass Hood
- Fully Front panel Tempered Black Glass with Stainless steel exhaust housing
- 1 Motor : 250 W.
- Gross extraction 1,050 m³/h
Net extraction rate 850 m³/h
- Aluminum filters
- 3 speeds with intensive speed 10 minutes.
- 2 LED lamps
- Nominal power 252 W
- Made in Europe

TWEET 90B



More details and review on website



TWEET 60B



More details and review on website



Chimney Hood

Wall Decoration Hood

KC927X90



- Modern T-Shape Chimney Hood stainless steel
- 1 Motor : 230 W
- Gross extraction 900 m³/h
- Stainless Steel Baffle filter

- Removable Oil Cup easily clean
- 3 speeds
- Power off delay timer 3 and 7 minutes
- 2 LED lamps
- Nominal power 232 W



Chimney Hood

Wall Decoration Hood

K634XS90



- Modern T-Shape Chimney Hood stainless steel
- 410 W, Aluminium alloy housing heat resistant , rust proof
- Gross extraction 1,300 m³/h
Net extraction rate 1,050 m³/h
- 5 layers Aluminium filters
- 3 speeds and 1 extra high speed
- Power off delay timer 3 and 7 minutes
- 2 LED lamps
- Nominal power 412 W



K634XS60



- Modern T-Shape Chimney Hood Stainless steel
- 330 W, Aluminium alloy housing
- Gross extraction 1,050 m³/h
Net extraction rate 850 m³/h
- 5 layers Aluminium filters
- 3 speeds and 1 extra high speed
- Power off delay timer 3 and 7 minutes
- 2 LED lamps
- Nominal power 332 W



K631X90



- Chimney Hood stainless steel
- 410 W, Aluminium alloy housing
- Gross extraction 1,300 m³/h
Net extraction rate 1,050 m³/h
- 5 layers Aluminium filters
- 3 Speeds
- 2 LED lamps
- Nominal power 412 W



KV737X90-1



- Chimney Hood (Arch shape Glass) stainless steel
- 410 W, Aluminium alloy housing
- Gross extraction 1,300 m³/h
Net extraction rate 1,050 m³/h
- 5 layers Aluminium filters
- 3 Speeds
- Power off delay timer 3 and 7 minutes
- 2 LED Bar
- Nominal power 415 W



CEILING HOOD ROOM FRESHENER

Fullfill perfection into your
kitchen with Ceiling hood



KBM60W120

- Ceiling Hood equip with motor
- Elegant Front panel with White tempered glass
- Motor : 400 W
- Gross extraction 1,200 m³/h
- Net extraction rate 1,000 m³/h
- Remote Control
- LED 2 bars (2 x 7 W)

*Please check Installation detail from seller



Island Hood

Island Hood

IS7010X90



- Stainless Steel T-Shape Island Hood
- Motor 340 W.
- Gross extraction 1,200 m³/h
Net extraction rate 1,000 m³/h
- Soft Touch Electronic Control
- 3 speeds with intensive speed 10 minutes
- 4 LED lamps
- Nominal power 344 W
- The height of the ceiling should not exceed 286 cm
- Made in Italy

MADE IN ITALY



IS738XS90



- Stainless Steel Island Hood with Arch Shape Glass
- 380 W, Aluminium alloy housing
- Gross extraction 1,188 m³/h
Net extraction rate 950 m³/h
- 3 Speeds
- Automatic switch off 3,6,9,15 and 15 minute
- 4 LED lamps
- Nominal power 386 W
- The height of the ceiling should not exceed 276 cm



Standard Hood

Standard Hood

TUBE66

**NEW
ARRIVAL**

- Stainless steel Standard Hood
- 2 Motors : 125 W
- Gross extraction rate 520 m³/h
Net extraction rate 460 m³/h
- 2 aluminum filters.
> Model 2740X60 - 2 pcs
> Model 2740X90 - 3 pcs
- 3 speeds
- 2 LED lamps (2 x 4 Watt)
- Re-circulated mode applicable .
- Nominal power 258 W
- Made in Europe



2950X60 (60 cm.) | 2950X90 (90 cm.)

- Stainless steel Standard Hood
- 2 Motors : 85 W
- Gross extraction rate 450 m³/h
Net extraction rate 380 m³/h
- 5 layers Aluminium filters
- Push button control
- 3 speeds.
- 2 LED lamps (2 x 2 watts)
- Re-circulated mode applicable.
- Nominal power 174 W



2950X60



2950X90



BUILT-IN HOOD

Seamless Classy Design
Built-in Hood

Built-in hood our solutions fit seamlessly in your kitchen with high performance motor to **“exhaust smoke and get rid of smell”** with removeable filters

Built-In Hood

Seamless Classy Design

SP745



- Stainless steel Built-In Hood
- 1 Motor : 320 W aluminium housing
- Gross extraction rate 1,050 m³/h
Net extraction rate 900 m³/h
- 5 layers aluminum filter
- 3 speeds
- 2 LED lamps
- Nominal power : 322 W



SP545



- Stainless steel Built-In Hood
- 1 Motor : 320 W aluminium housing
- Gross extraction rate 1,050 m³/h
Net extraction rate 900 m³/h
- 5 layers aluminum filter
- 3 speeds
- 2 LED lamps
- Nominal power : 322 W



SP541



- Stainless steel Built-In Hood
- 1 Motor : 155 W aluminium housing
- Gross extraction rate 550 m³/h
Net extraction rate 480 m³/h
- 5 layers aluminum filter
- 3 speeds
- 2 LED lamps
- Nominal power : 157 W





Slim Line Hood

Slim Line Hood Mounted inside Kitchen Cabinet

SLIMTOUCH60



- Slimline range hood, 60 cm.
- Stainless steel front panel
- Touch panel
- 1 Motor : 250 W
- Gross extraction rate 950 m³/h
- Net extraction rate 740 m³/h
- 3 speeds and 1 extra high Intensive (10 minutes)
- 2 LED lamps

- Aluminum oil filter
- Applicable with external ventilation only
- Nominal power 252 W
- Made in Europe



SLD62




- Slim line exhaust hood, 60 cm
- Anti-rust surface coating
- AISI 430 stainless steel front edge
- 2 x 100W motors
- Max total extraction rate: 420 m³/hr
- Max net extraction rate: 355 m³/hr
- Button control

- 2 speed levels
- LED lighting: 1 bulb (1 x 2W)
- 5-layer aluminium filter
- Compatible with both extraction and internal recirculation



Hood Accessories

Hood Accessories



1 HOSE CONNECTOR



- MCN150 (150 mm. 6 inch)
- MCN125 (125 mm. 5 inch)



2 WALL TUBE



- MWT150 (150 mm. 6 inch)
- MWT125 (125 mm. 5 inch)



3 AIR OUTLET



- FCR150X (150 mm. 6 inch)
- FCR125X (125 mm. 5 inch)
- FCR100X (100 mm. 4 inch)





- MAR150WH (150 mm. 6 inch)
- MAR125WH (125 mm. 5 inch)



- MAG150WH (150 mm. 6 inch)
- MAG125WH (125 mm. 5 inch)
- MAG100WH (100 mm. 4 inch)



4 FLEXIBLE DUCT



- Flexible Aluminum Foil Air Duct – Highly Expandable and Flexible
- Dual-Layer Aluminum Foil Sheet – 71 Micron Thickness

- Rust-Resistant Metal-Coated Spring Wire Frame with 24.5 mm Spacing Between Coils
- Operating Temperature Range: -20 °C to 120 °C

Size 4 inch

- Long 1 m. SM-B037
- Long 2 m. SM-B151
- Long 3 m. SM-B152
- Long 10 m. SM-B153

Size 5 inch

- Long 1 m. SM-B100
- Long 2 m. SM-B154
- Long 3 m. SM-B155
- Long 10 m. SM-B156

Size 6 inch

- Long 1 m. SM-B055
- Long 2 m. SM-B157
- Long 3 m. SM-B158
- Long 10 m. SM-B159

Symbol Guideline:



Impact, Heat, Abrasion & Chemical Resistant



Excellent Resistance to Impact, Abrasion, Heat, and Chemicals



UV-resistant and not prone to drying or cracking



AISI 304 Stainless Steel with Excellent Corrosion Resistance and Rust Prevention



Strong and Durable



Highly Flexible and Shape-Retaining



Flame-retardant

04


Refrigerator

Built-in refrigerator





Door Reversible The door opening direction is reversible and can be adjusted to open from either the left or right side.



Sliding Tray Designed for convenient storage of frequently used food items.



Door On Door The refrigerator door can be fitted with a furniture panel for a seamless and aesthetically pleasing appearance.



Humidity Controlled Crisper
Equipped with a humidity-controlled vegetable drawer to help keep fruits and vegetables fresh for longer.



Push Button HP Display Features 5 adjustable cooling levels with a Super Cooling function.

Refrigerator

Built-in Refrigerator

BFF2761FD

Built-in Refrigerator :

- 2-door design: refrigerator on top, freezer below
- Door-on-Door system supports furniture panel installation for a seamless look
- Reversible door opening (left or right)
- Tropicalized compressor operates in 16°C – 43°C ambient temperatures
- Total capacity: 256 L.
Net capacity: 241 L.

Control System :

- Push-button control with HP display
- Five adjustable cooling levels
- Super Cooling function for rapid temperature reduction, ideal for initial use or when storing large amounts of food

Refrigerator Compartment :

- Net capacity: 180 L
- Automatic defrost system
- Cold Air Flow fan for even cooling distribution
- Four adjustable tempered glass shelves (except bottom shelf)
- Humidity-controlled crisper drawer keeps fruits and vegetables fresh longer
- Four door bins with egg tray
- Enhanced interior lighting for better visibility

Technical Specifications :

- Dimensions (W x D x H):
54.0 x 54.5 x 177.0 cm.
- Energy consumption: 390.55 kWh/year
- Daily energy use: 1.07 kWh/day
- Rated power: 187 W
- Voltage: 220–240 V
- Frequency: 50 Hz

Freezer Compartment :

- Net capacity: 61 L.
- 4-star rating for deep freezing and long-term food storage
- No Frost defrost system
- Sliding tray for easy access to frequently used items
- Two storage drawers
- Includes ice tray
- Cooling fan ensures even temperature distribution for optimal food preservation

A person wearing a blue button-down shirt over a white t-shirt and blue jeans is loading a dishwasher. They are holding a white plate in their right hand, about to place it in the top rack. Their left hand is on the handle of the open dishwasher door. The dishwasher is open, showing the metal racks with some dishes already inside, including a white bowl and a glass. The background is a kitchen with light-colored cabinets.

05

Dishwasher and Dish Dryer

A new definition of hygiene

HALLMARK OF CLEANLINESS

Offering more excellent washing function
with latest in dish-cleaning technologies

LATEST IN DISH-CLEANING TECHNOLOGIES



PUREBEAM REDUCE BACTERIAL ACCUMULATING AND STOP ITS GROWTH AND REDUCE UNPLEASANT SMELL

MEX dishwasher is designed with dual technologies PUREBEAM [UV+ION TECH] UV feature prevents bacterial growth and reduce bacterial remaining after washing cycle. It disinfects the load of UV technology built into machine and automatically sterilizing each load before unload.



ION TECH REDUCE UNPLEASANT SMELL

MEX dishwasher are engineered to the high standards with high technology. Natural ION TECH spreads negative ions inside the dishwasher. These negative ions neutralize particles of unpleasant smell. As well as ION TECH removes odors caused by dirty dishes, in order to reduce unpleasant smell after Dishwasher operating.

HIGH QUALITY
PRODUCT
MADE IN
EUROPE



FLEXIBLE BASKETS and RACKS for more space to enjoy

CONTAIN MORE KITCHEN UTENSILS
SUPPORT LARGE SIZE OF POT AND PAN.

HIGH
CAPACITY



The 3rd rack provide perfect extra space for loading utensils, cutlery and silverware, it is composed of two pieces which can be taken out from the 3rd rack to obtain more space for the dishes in the upper basket.



Upper Basket is easily adjustable with 3 steps level height to max space when washing tall items.



The Low basket is more comfortable with folding racks on it that each section can be folded separately and give more room for large items.



Removable Cutlery Basket.



Dishwasher

Dishwasher

POWERFUL WASHING PROGRAMS



Dual Pro Wash

Advanced pump technology allows for wash to be cleaned at two separate water pressure. Baked on food does not stick at the bottom while the delicate glasses in the top are gently being washed.



Jet Wash

With this fast program, you can clean the dishes with small dirt like soiled coffee, milk and tea just within 14 min. It cleans your dishes with max 4 sets of standard table utensil.



Smart Wash

Turbidity sensor detects the amount of turbidity in water and adjusts the washing cycle parameters [temperature, duration, amount of water] automatically.



Quick Clean

Quick Clean Program with advance cleaning in only 50 min without diverter and achieves A class cleaning performance. You can save time with this program.



Steam Wash

Steam wash technology softening the most stubborn dirt by steam power. High temperature and directly applied steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.

UV lights prevent bacteria growth and kill bacteria



Negative ions spreads



Odors destroyed and removed



BOOST PERFORMANCE WITH EXTRA FUNCTIONS

Extra Hygienic Wash

Extra hygiene ensures a maximum hygiene with high Temperature washing. It increases water temperature at final rinse step in order to eliminate bacteria up to 99.99%.

Extra Rinse

Extra rinse function adds an extra rinse step to achieve more hygienic washing. Program duration is increased between minimum 4% and maximum 16%.

Extra Dry

For better drying performance, MEX dishwasher provide extra drying function which it increases water temperature at final rinse step and drying step duration up to 10 minutes.

Extra Silent

Reduce noise during operating.

Extra Fast

Shorten total operating time with increase of temperature and pressure. Make sure all dishes and utensils are cleaned in short time.

MORE OPTIONS MORE CONVENIENT



Half Load

Eco Friendly Half Load technology provides high washing performance when dishwasher is not fully loaded only lower basket or upper basket or both are used. It can run with reduced water and less energy consumption. Half Load technology is a load option to save electric and water supply bills.



Tablet Function

With this option, water reaches optimum temperature to dissolve and combined detergent ideally and eliminates such drawbacks and assures maximum performance when tablet detergents are used.



Delay Timer

Conveniently set up the delay start time in advance 1 - 24 hours. You can set up the dishwasher in advance with preferred program and schedule.



Child Lock

Child safety lock to prevent accidental pressing.

FULLY INTEGRATED BUILT IN DISHWASHER

Sleek and Smooth integrated in to counter

LVB6533



*Not include front panel of furniture

Experience the next level of stylish luxury with a New Built-in Dishwasher sliding door panel type, which invent every design can be possible together with efficiency cleaning of Ion Technology and plus 3 extra functions.

- 60 cm. / Inside body Stainless Steel
 - Ion Tech technology to reduce unpleasant odor
- | 8 Washing Program | Plus 3 Extra Function |
|-----------------------------------|-----------------------|
| > Eco (Standard Program) | > Extra Dry |
| > Smart 60-70°C | > Extra Silent |
| > Steam wash | > Extra Fast |
| > Hygiene 70°C | |
| > Super 50 min 65°C (Quick Clean) | |
| > Dual Pro Wash 60°C | |
| > Quick 30 min 40°C | |
| > Mini 14 min (Jet Wash) | |
- Half Load function that saves energy and water
 - A delay start time of between 1 hour and 19 hours
 - Touch control
 - LED display with button contro
 - Rinse-aid, salt use, washing cycle and end of cycle indicator light
 - 13 place settings
 - 2 baskets and 3rd rack (adjustable upper basket with foldable racks) with a removable

- > The Lower Basket is more comfortable with folding racks on it that each section can be folded separately.
- > The Upper Basket is easily adjustable with 3 step level height to maximize space when washing tall items. There are also adjustable mug selves making more flexibility to fit tall glasses, mugs and smaller cups
- > The 3rd Rack provides perfect extra space for loading
- > Removable cutlery basket
- Aqua Stop
- 4 interior lighting
- Anti-Bacterial Filter
- Standard program water consumption : 9 liter / cycle
- Energy efficiency : A+++
- Cleaning efficiency: A
- Drying efficiency cla : A
- Noise 45 dB
- Made in Europe



Dishwasher Salt

Contain 1.5 kgs



- Prevents white residue and lime scale buildup on dishes and dishwasher
- Pure small-grain salt, NaCl ≥ 99.80%
- Certified to European standard EN 973 A
- Free from chemicals causing clumping or iodine, extending resin life and offering superior performance compared to regular dishwasher salt

Dishwasher

Dishwasher

DV915DX

NEW
ARRIVAL

purebeam



- Dark Inox stainless steel front panel - fingerprint resistant
- Size 60 cm | Interior: stainless steel
- PureBeam technology - kills bacteria, reduces unpleasant odours
- 15 place settings
- Multi-purpose adjustable basket
 - > Top cutlery tray - independently removable
 - > Upper basket - foldable,
 - > Lower basket - foldable, large capacity
 - > Cutlery basket - carry-out handle

10 Washing Program

- > Prewash
- > Mini 14 min (Jet Wash)
- > Quick 30 min 40°C
- > Eco (Standard Program)
- > Everyday 60°C
- > Dual Pro Wash 60°C
- > Super 50 min
- > Smart 30-50°C
- > Smart 50-60°C
- > Steam wash

4 Extra Function

- > Extra Drying
- > Extra Hygienic
- > Extra Silent
- > Extra Fast

- Half Load function
- Delay timer: 1-24 hours
- LED display
- Touch control
- Salt and rinse-aid indicator alerts
- Anti-Bacterial filter
- Water consumption: 9 litres per standard wash cycle



DI815DG

NEW
ARRIVALion
tech

- Dark grey
- Size 60 cm | Interior: stainless steel
- Ion Tech technology — eliminates unpleasant odours
- Multi-purpose adjustable basket
 - > Top cutlery tray — removable
 - > Upper basket — foldable, height-adjustable in 2 levels
 - > Lower basket — foldable, large capacity
 - > Cutlery basket — carry-out handle

8 Washing Program

- > Prewash
- > Quick 30 min
- > Eco (Standard Program)
- > Everyday 60°C
- > Super 50 min
- > Smart 30-50°C
- > Smart 50-60°C
- > Smart 60-70°C

3 Extra Function

- > Extra Drying
- > Extra Hygienic
- > Extra Rinse

- Half Load function
- Delay timer: 1-24 hours
- LED display
- Button control
- Salt and rinse-aid indicator alerts
- Anti-Bacterial filter
- Water consumption: 9 litres per standard wash cycle



DK713DG

NEW
ARRIVAL

- Dark grey
- Size 60 cm | Interior: stainless steel
- 13 place settings
- Multi-purpose adjustable basket
 - > Upper basket — height-adjustable in 2 levels
 - > Lower basket — large capacity
 - > Cutlery basket — carry-out handle

7 Washing Program

- > Prewash
- > Quick 30 min 40°C
- > Delicate
- > Eco (Standard Program)
- > Super 50 min
- > Intensive 65°C
- > Hygiene 70°C

- Half Load function
- Delay timer: 3, 6 and 9 hours
- Knob and button control
- Salt and rinse-aid indicator alerts
- Water consumption: 9 litres per standard wash cycle
- Energy rating: A++
- Cleaning rating: A | Drying rating: A
- Noise level: 49 dB
- Made in Europe



Dish Dryer

Free Stand Dish Dryer

DM60E-1




- 4 programs
 - > Automatic program
 - > Hot Air program
 - > Drying program
 - > Storage/maintain program
- Gross capacity 60 liters
- Capacity (dishes) 10 pcs
- Temperature 70 .C (+/- 5.C)
- Touch Control
- Child safety loc
- Auto Stop when cover is opened
- Stainless steel AISI304 tableware rack
- Effectively reduce bacteria and reduce odour



DM60B-1



- Gross capacity 60 liters
- Capacity (dishes) 10 pcs
- Knob Control
- Timer control, working duration 10-60 minutes
- Temperature 70 .C (+/- 5.C)
- Stainless steel AISI304 tableware rack
- Auto Stop when cover is opened
- Effectively reduce bacteria and reduce odour



06

Composite Sink

More stylish choices to lighten your daily chores





reddot design award
best of the best 2021

METRIX BY **elleci**

DIALOGO

BEST EVER KITCHEN WORKSTATION

DIALOGO is the best innovative design for ceramic kitchen sink certified by the reward BEST of the BEST from Red Dot Design Award 2021

DIALOGO Workstation is next level of combinations of latest innovation and essential function design to create a design element to fit for your functional usages in the kitchen with elegance accessories for food preparation, cleaning and storage.





Kitchen sink series DIALOGO and TEM are composed of Ceramic nanoparticles with a mix of 6 innovative acrylic resins which created "KERATEK" New Innovative Patented material from Metrix which colors are more vivid and intense than ever before. An ultracompact surface that is even smoother to the touch.

With High Innovative material DIALOGO and TEM are raised up the premium quality with stylish and strong kitchen sinks.



With ultracompact surface of KERATEK PLUS provided the stain-resistant which prevent the stain from coffee, wine, bleach, fats and food acids. Easily Clean and its material is safe for environment.

Ceramic Composite Sink

1 Bowl Ceramic Sink Smart Edge (6 mm. thickness) with Drainer Cover

- Overall Dimension 86 x 46 cm.
- Big bowl size 69.4 x 39.6 cm.
- Bowl depth 22 cm.
- Cutting Size 84 x 44 cm.
- Pop-up Drainer size 3.5 inches
- Black color with overflow and P-TRAP



Standard
85 x 45 cm. R5




Undermount
82 x 42 cm. R4

DIALOGO-ST-K86 | BLACK



METRIX BY elleci

DIALOGO-ST-K82 | SAGE GREEN



DIALOGO-ST-K83 | CLAY





Ceramic Composite Sink

1 Bowl Ceramic Sink Smart Edge 6 mm. Thickness

- Overall Dimension 86 x 18 cm.
- Bowl depth 15 cm.
- Bowl size 82 x 11.9 cm.



Standard
85 x 17 cm. R5



Undermount
82 x 14 cm. R4

METRIX BY elleci

DIALOGO-TR-K82 | SAGE GREEN



DIALOGO-TR-K86 | BLACK



DIALOGO-TR-K83 | CLAY



DIALOGO Accessories

Accessories for Ceramic Sink DIALOGO

METRIX BY elleci



DIALOGO-COLANDER

Plastic (PP) Colander Black Color
Size 40.8 x 13.8 x 8.4 cm.



DIALOGO-TY408

Aluminium Colander Black Color
Size 40.8 x 13.7 x 1.1 cm.



DIALOGO-TY204

Aluminium Colander Black Color
Size 20.4 x 13.7 x 1.1 cm.



DIALOGO-DRAINER

Aluminium Drainer Black Color
Size 40.8 x 13.7 x 1.1 cm.



DIALOGO-CB-KIT2

Black Aluminium Cut board (HPL)
Size 40.8 x 13.7 x 18 cm.



RM440

Metal covered Silicone Roll Matt
Size 44.0 x 30.0 x 10 cm.

DIALOGO-TY204 / DIALOGO-TY408

DIALOGO-CB-KIT2



RM440

DIALOGO-COLANDER

DIALOGO-DRAINER



DIALOGO WORKSTATION

DIALOGO Workstation is next level of combinations of latest innovation and essential function design to create a design element to fit for your functional use in the kitchen with elegance accessories for food preparation, cleaning and storage.

DIALOGO Kitchen Work Station CERAMIC SINK WORK STATION SET

METRIX BY **elleci**

DIALOGO-ST-K82SET

| SAGE GREEN



DIALOGO-ST-K86SET

| BLACK



DIALOGO-ST-K83SET

| CLAY



Colander
DIALOGO-TY408



Colander
DIALOGO-COLANDER




Colander
DIALOGO-TY204



Drain
DIALOGO-DRAINER



Cut board set
DIALOGO-CB-KIT2



Roll Matt
RM440



Standard



Undermount



Thickness
6 mm.



Large Bowl



Sliding Row



Square shape Overflow

MADE IN ITALY

SINTESI SERIES

LIFESTYLE IS HERE

นวัตกรรมการออกแบบอ่างล้างจาน ที่รังสรรค์ฟังก์ชันการใช้งานผสมผสานกับการออกแบบที่โดดเด่นให้ความหรูหราและประดับได้อย่างลงตัว เป็นคำจำกัดความของอ่างล้างจานเนื้อแกรนิตสังเคราะห์ผิวเซรามิก ของ Sinesis Series พื้นที่ใช้สอยถูกออกแบบใหม่ตามหลักสรีรศาสตร์ อำนวยความสะดวกให้กับผู้ใช้งานในการใช้พื้นที่สำหรับเตรียมอาหาร เพิ่มสุนทรียภาพให้กับครัวอย่างที่ไม่เคยมีมาก่อน



Synthetic Granite with Ceramic Coating

MIETRIX BY elleci

SINTESI510SGG | SAGE GREEN



1 Bowl Sink with 1 Drainer

Synthetic Granite with Ceramic Coating

- Overall Dimension 116 x 50 cm.
- Big bowl size 66.2 x 41.9 cm.
- Bowl depth 20 cm.
- 3.5-inch Gold drain waste with Gold rectangular overflow and p-trap.
- Cutting size 114 x 48 cm.

SINTESI510BKG | BLACK



1 Bowl Sink with 1 Drainer

Synthetic Granite with Ceramic Coating

- Overall Dimension 116 x 50 cm.
- Big bowl size 66.2 x 41.9 cm.
- Bowl depth 20 cm.
- 3.5-inch Gold drain waste with Gold rectangular overflow and p-trap.
- Cutting size 114 x 48 cm.

Free accessory included!



CB510BK

| Multipurpose cutting board

- Size: 43.3 x 22 x 8 cm.
- Multipurpose black cutting board with HPL (High Pressure Laminate) surface
- Water, moisture, and heat resistant
- Food-safe for direct contact



CL510GD

| Multipurpose tray

- Size: 43.3 x 22 x 6.5 cm.
- Multipurpose gold tray with black HPL (High Pressure Laminate) surface and knife storage
- Water, moisture, and heat resistant
- Food-safe for direct contact




TEM Series



**WATER REPELLENT AND
STAIN RESISTANT**

Keratek Plus With a zero-porosity surface that ensures maximum hygiene and amazing resistance to staining agents.



**SMOOTHER AND
HARDER**

With Innovation of GPS provided Ceramic nanoparticles well blending with acrylic resins which made surface of the sink touching smoothly and reinforce the scratching resistance.

Ceramic Sink

1 Bowl Ceramic Sink

- Size 75.6 x 45.6 cm.
- Bowl size 70 x 40 cm.
- Bowl depth 20 cm.
- Cutting Size 74.5 x 44.5 cm.
- 3.5 inch Driener ,Overflow and P-TRAP



Standard
74.5 x 44.5 cm. R5



Undermount
70 x 40 cm. R10

TEM100WH | WHITE



TEM100BL | BLACK



TEM100CY | CLAY




TEM100NG | NIGHT GREEN



METRIX

SMOOTH WITH STYLISH CHARMING A UNIQUE KITCHEN SINK

The evolution of Granite Sink NUOVO+GRANITO Manufactured with modern technology from a world-class factory in Italy. Outstanding in both design and quality, combining the strength of high-quality natural granite with acrylic resin through the process of the granite powder casting by rotating hot molds, so that, the particles of the granite powder are distributed evenly to enhance heat and thermal shock resistance. Additionally, it mixed with "Silver Ion" for anti-bacteria.



THERMAL SHOCK RESISTANCE

METRIX has been designed for thermal shock resistance of rapidly changing of temperature from hot to cold water. The sink will not crack or damage when pouring hot water and cold water.



IMPACT RESISTANCE

Metrix Kitchen Sink maintains quality and elegance appearance with innovation of mixed materials and casting production made this sink has higher heat and crash resistance than other composite materials.



ANTI-BACTERIA

METRIX highly considers the hygiene of the user as an important matter. With modern technology of GRANIEK ANDMETALTEK to reduce bacteria accumulation and add Silver Ion to prevent Bacterial growth.



UV PROTECTION

The mixed composite material of granite sink can protect its color surface from UV radiation, so the sink color will not fade away and maintain its original color. However, we recommend installing the sink indoors.

THE GALE SERIES

Creates a large workspace suitable for big pans and baking trays.

"Discover freedom and creativity in the kitchen" with GALE's new minimalist granite composite sink. Combining modern European classic style, its deep, spacious bowl handles large and bulky items with ease. Rounded corners simplify cleaning, and an overmount installation adds a unique, stylish touch to your kitchen.

GALE Series

Synthetic Granite with Ceramic Coating

METRIX MADE IN ITALY

GALE900BL | Black



1 Bowl Farmhouse Sink

- Overall Dimensions 90 × 63.5 cm.
- Bowl Dimensions 82 × 44 cm.
- Bowl Depth 20 cm.
- Drain Size 3.5 inches with overflow

Free accessory included!



CB455BK | Black

- Finished with HPL (High Pressure Laminate) surface, highly resistant to moisture and heat
- Food-safe for direct contact
- Size : 25.3 x 45.5 x 0.8 cm.

GALE900WH | White



1 Bowl Farmhouse Sink

- Overall Dimensions 90 × 63.5 cm.
- Bowl Dimensions 82 × 44 cm.
- Bowl Depth 20 cm.
- Drain Size 3.5 inches with overflow

Free accessory included!



CB455WD | Wood

- Finished with HPL (High Pressure Laminate) surface, highly resistant to moisture and heat
- Food-safe for direct contact
- Size : 25.3 x 45.5 x 0.8 cm.

KIN SERIES SET GRANITE SINK

Contemporary designed granite sink a large single bowl workstation that comes with a variety of accessories such as a colander, a roll matt and a cutting board, completed set in both design and function.

KIN120 SET Kitchen Work Station Granite Sink Work Station Set


KIN120BL-BL | Sink Kitchen Set



1 Bowl Granite Sink

- 1 bowl granite sink countertop
- Bowl size 79.6 x 3cm.
- Black
- Bowl depth 20 cm.
- Overall Dimension 86 x 51 cm.
- Cutting Size : 84 x 48 cm.
- 3.5 inched Drainer, Overflow and P-TRAP

Free accessory included!



RM500

- Roll-up
- Made from silicone-coated metal
- Dimensions: 33.4 x 50.0 x 1.0 cm



CL380

- Draining Tray
- Made of black PP plastic
- Size: 38.0 x 13.8 cm
- Depth: 8.4 cm



CB383BL | Color: Nero

- Multipurpose Cutting Board
- HPL (High Pressure Laminate) surface — highly resistant to water, moisture, and heat
- Food-safe — suitable for direct contact with food
- Size: 33.9 x 38.3 x 0.8 cm



KIN Series

Granite Sink

METRIX**KIN21BL | Black****Granite Sink 2 Bowls 1 Drain****KIN21TN | Titanium**

- Overall Dimension 116 x 51 cm.
- Bowl size 32.5 x 42.1 cm. Depth 20 cm.
- Cutting Size 114 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY**KIN20BL | Black****Granite Sink 2 Bowls****KIN20TN | Titanium**

- Overall Dimension 86 x 51 cm.
- Bowl size 36.5 x 42.1 cm. Depth 20 cm.
- Cutting Size 84 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY**KIN11BL | Black****Granite Sink 1 Bowl 1 Drain****KIN11TN | Titanium**

- Overall Dimension 100 x 51 cm.
- Bowl size 47.8 x 42.1 cm. Depth 20 cm.
- Cutting Size 98 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY

KIN Series

Granite Sink

METRIX

■ KIN100

KIN100BL | Black



KIN100TN | Titanium

**Granite Sink 2 Bowls 1 Drain**

- Overall Dimension 79 x 50 cm.
- Bowl size 72 x 40 cm. Depth 20 cm.
- Cutting Size 77 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY

■ KIN15

KIN15BL | Black



KIN15CE | Cement

**Granite Sink 1 Bowl**

- Overall Dimension 57 x 50 cm.
- Bowl size 50 x 40 cm.
- Cutting Size 55 x 48 cm.
- Drain 3.5 " with overflow and P-TRAP

MADE IN ITALY**Undermount KIN Series**

Undermount Granite Sink

■ KIN100U

KIN100UBL | Black



KIN100UCE | Cement

**Granite Sink 1 Bowl**

- Overall Dimension 76 x 44 cm.
- Bowl size 72 x 40 cm. Depth 20 cm.
- Cutting Size 72.5 x 40.2 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY

■ KIN15U

KIN15UBL | Black



KIN15UCE | Cement

**Granite Sink 1 Bowl**

- Overall Dimension 54 x 44 cm.
- Bowl size 50 x 40 cm. Depth 20 cm.
- Cutting Size 50 x 40 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY

NES Series

Granite Sink

METRIX■ **NES21****NES21BL | Black****Granite Sink 2 Bowls 1 Drain****NES21CE | Cement**

- Overall Dimension 116 x 50 cm.
- Bowl size 32.4 x 43 cm.
- Depth 20 cm.
- Cutting Size 114 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY■ **NES20****NES20BL | Black****Granite Sink 2 Bowls****NES20CE | Cement**

- Overall Dimension 86 X 50 cm.
- Bowl size 45 x 43.4 and 31.4 x 38.5 cm.
- Depth 21 cm.
- Cutting Size 84 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY■ **NES11****NES11BL | Black****Granite Sink 1 Bowl 1 Drain****NES11CE | Cement**

- Overall Dimension 100 x 50 cm.
- Bowl size 48 x 43.5 cm. Depth 20 cm.
- Cutting Size 98 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP

MADE IN ITALY



*Faucet shown is not included MOS Series

DELLA450 | Cream

CURVING DESIGN MODERN VICTORIAN AESTHETIC

DELLA450 Granite kitchen sink is designed to be in the vibe of Victoria aesthetic and modern classic style.

- Dimension 86.4 X 50.3 cm.
- Bowl size 48 x 45 and 30 x 45 cm.
- Depth 22.5 cm.
- Cutting Size 84 x 49 cm.
- Drain 3.5 " with overflow and P-TRAP



MOS Series

Granite Sink

MOS21BL | Black



MOS21TN | Titanium



MOS21WH | White



Granite Sink 2 Bowls 1 Drain

- Overall Dimension 116 x 50 cm
- Bowl size 33 x 40 cm. Depth 20 cm.
- Cutting Size 114 x 48 cm.
- Drain 3.5 inch with overflow and P-TRAP



MOS11BL | Black



MOS11TN | Titanium



MOS11WH | White



Granite Sink 1 Bowl 1 Drain

- Overall Dimension 100 x 50 cm.
- Bowl size 48 x 35.8 cm. Depth 20 cm.
- Cutting Size 98 x 48 cm.
- Drain 3.5 " with overflow and P-TRA



07

Stainless Steel Sink

The perfect blend of design, performance and sheer quality



**AISI
304**

**STAINLESS
STEEL
AISI 304**

MEX sinks are made of AISI 304 stainless steel, good grade, which is resistant to corrosion in acidic, alkaline, solvents that may be exposed from washing vegetables, fruits, meat, milk and dishwashing liquid. MEX therefore uses only AISI 304 stainless steel for its sinks for durability for safety of the family.

SQ Series

Modern multifunction kitchen sink

**AISI
304****STAINLESS
STEEL
AISI 304****SLIDE
THROUGH**

Slide Through Accessory system — accessories slot onto the sink rim and slide left/right smoothly without obstruction from the tap

**SOAP
DISPENSER**

Soap Dispenser — refillable from above without removing the bottle; hole can also be used to install a drinking water tap

**SLEEK CORNER
RADIUS**

Sleek Corner Radius: R5 — sharp, modern design

**THE MOST PERFECT
MULTIFUNCTION TAP**

Multifunction tap included: TFP03GM — 3-way spray (normal / jet / waterfall)

(Except models SQ50-MF, SQ60-MF, SQ50GM-MF, and SQ60GM-MF)

FULL SET ACCESSORIES

Sink-fit wooden cutting board



Multi-purpose tray with built-in drain cover



Drain basket with easy-flow design



AISI 304 STAINLESS STEEL AISI 304

SQ GM Series

Nano Sandblast coating in Grey Metal — premium-grade coating, more refined and durable than standard paint. Reduces surface tension so water beads off easily; easier to maintain and keeps the sink looking clean and new.

SQ GM Series

Multifunction Sink, Grey Metal Color



SQ1202LGM-MF | SQ1202RGM-MF



SQ982GM-MF



SQ1001LGM-MF | SQ1001RGM-MF



SQ82GM-MF



	SQ1202LGM-MF (L-Bowl, R-Drain) SQ1202RGM-MF (R-Bowl, L-Drain)	SQ982GM-MF	SQ1001LGM-MF (L-Bowl, R-Drain) SQ1001RGM-MF (R-Bowl, L-Drain)	SQ82GM-MF
Type	2 Bowls 1 Drain	2 Bowls	1 Bowl 1 Drain	1 Bowl
Overall Dimension	120 x 51 cm. Thick 2.5 mm.	98 x 51 cm. Thick 2.5 mm.	100 x 51 cm. Thick 2.5 mm.	82 x 51 cm. Thick 2.5 mm.
Bowl Size	45 x 40 , 36 x 40 cm. Depth 20 cm. Thick 1.0 mm.	45 x 40 , 45 x 40 cm. Depth 20 cm. Thick 1.0 mm.	55 x 40 cm. Depth 20 cm. Thick 1.0 mm.	77 x 40 cm. Depth 20 cm. Thick 1.0 mm.
Cutting Size	118 x 49 cm.	96 x 49 cm.	98 x 49 cm.	80 x 49 mm.

FREE



Hot & cold mixer tap
TFP03GM



Soap Dispenser
SD07GM



Cutting Board
CB4024



Drain basket
CL4020



Multi-purpose tray
BS4020

- 3.5-inch Big Basket waste strainer
- Drain pipe with odor trap
P31PP (for 1-bowl sink)
P34PP (for 2-bowl sink)

SQ60GM-MF



SQ50GM-MF



	SQ60GM-MF	SQ50GM-MF
Type	1 Bowl	1 Bowl
Overall Dimension	60 x 51 cm. Thick 2.5 mm.	50 x 51cm. Thick 2.5 mm.
Bowl Size	55 x 40 cm. Depth 20 cm. Thick 1.0 mm.	45 x 40 cm. Depth 20 cm. Thick 1.0 mm.
Cutting Size	58 x 49 cm.	48 x 49 cm.

FREE



Cold Water Tap
TP1030R-GM



Soap Dispenser
SD07GM



Cutting Board
CB4020



Drain basket
CL4020



Multi-purpose tray
BS4020

- 3.5-inch Big Basket waste strainer
- Drain pipe with odor trap
P31PP



**AISI
304**

**STAINLESS
STEEL
AISI 304**

SQ Series

Truly Multifunction — stylish, modern design with a full suite of accessories for washing, preparation, and storage all in one place.

SQ Series

Multifunction Sink, Stainless Steel Color

**NEW
ARRIVAL**

**SQ1202L-MF
| SQ1202R-MF**

SQ982-MF

**SQ1001L-MF
| SQ1001R-MF**

SQ82-MF



	SQ1202L-MF (L-Bowl, R-Drain) SQ1202R-MF (R-Bowl, L-Drain)	SQ982-MF	SQ1001L-MF (L-Bowl, R-Drain) SQ1001R-MF (R-Bowl, L-Drain)	SQ82-MF
Type	2 Bowls 1 Drain	2 Bowls	1 Bowl 1 Drain	1 Bowl
Overall Dimension	120 x 51 cm. Thick 2.5 mm.	98 x 51 cm. Thick 2.5 mm.	100 x 51 cm. Thick 2.5 mm.	82 x 51 cm. Thick 2.5 mm.
Bowl Size	45 x 40 , 36 x 40 cm. Depth 20 cm. Thick 1.0 mm.	45 x 40 , 45 x 40 cm. Depth 20 cm. Thick 1.0 mm.	55 x 40 cm. Depth 20 cm. Thick 1.0 mm.	77 x 40 cm. Depth 20 cm. Thick 1.0 mm.
Cutting Size	118 x 49 cm.	96 x 49 cm.	98 x 49 cm.	80 x 49 mm.

FREE



Hot & cold mixer tap
TFP03S



Soap Dispenser
SD07S



Cutting Board
CB4024



Drain basket
CL4020



Multi-purpose tray
BS4020

- 3.5-inch Big Basket waste strainer
- Drain pipe with odor trap
P31PP (for 1-bowl sink)
P34PP (for 2-bowl sink)

SQ60-MF

SQ50-MF



	SQ60-MF	SQ50-MF
Type	1 Bowl	1 Bowl
Overall Dimension	60 x 51 cm. Thick 2.5 mm.	50 x 51cm. Thick 2.5 mm.
Bowl Size	55 x 40 cm. Depth 20 cm. Thick 1.0 mm.	45 x 40 cm. Depth 20 cm. Thick 1.0 mm.
Cutting Size	58 x 49 cm.	48 x 49 cm.

FREE



Cold Water Tap
TP1030R



Soap Dispenser
SD07S



Cutting Board
CB4020



Drain basket
CL4020



Multi-purpose tray
BS4020

- 3.5-inch Big Basket waste strainer
- Drain pipe with odor trap
P31PP



AISI 304 **STAINLESS STEEL**
AISI 304

BSQ Series

AISI 304 stainless steel, 1.0 mm thickness, R5 corner radius — sharp and modern. Smooth, lustrous surface for a premium kitchen look.

Undermount Series

Under-Counter Installation



BSQ822



BSQ77



BSQ55



	BSQ822	BSQ77	BSQ55
Type	2 Bowls	1 Bowl	1 Bowl
Overall Dimension	86 x 44 cm. Thick 1.0 mm.	81 x 44 cm. Thick 1.0 mm.	59 x 44 cm. Thick 1.0 mm.
Bowl Size	45 x 40 , 34 x 40 cm. Depth 20 cm.	77 x 40 cm. Depth 20 cm.	55 x 40 cm. Depth 20 cm.
Cutting Size	82.5 x 40.5 cm.	77 x 40 cm.	55 x 40 cm.

FREE

- 3.5-inch Big Basket waste strainer
 - Drain pipe with odor trap
- P31PP (for 1-bowl sink)
P34PP (for 2-bowl sink)
*Faucet not included.

BSQ45



BSQ40



	BSQ45	BSQ40
Type	1 Bowl	1 Bowl
Overall Dimension	49 x 44 cm. Thick 1.0 mm.	44 x 44 cm. Thick 1.0 mm.
Bowl Size	45 x 40 cm. Depth 20 cm.	40 x 40 cm. Depth 20 cm.
Cutting Size	45 x 40 cm.	40 x 40 cm.

FREE

- 3.5-inch Big Basket waste strainer
 - Drain pipe with odor trap
- P31PP (for 1-bowl sink)
*Faucet not included.

Undermount Series

Under-Counter Installation

**AISI
304**
**STAINLESS
STEEL
AISI 304**
BLC38

BLC32


	BLC38	BLC32
Type	1 Bowl	1 Bowl
Overall Dimension	0.8 mm.	0.7 mm.
Bowl Size	38 x 40 cm. Depth 20 cm.	32 x 38 cm. Depth 20 cm.
Cutting Size	38 x 40 cm.	32 x 38 cm.

FREE

- Drainer 3.5" Big Basket
 - with overflow P-TRAP (P51PP)
- *Faucet not included.*

MU47B

BL33B


	MU47B	BL33B
Type	1 Bowl	1 Bowl
Overall Dimension	50 x 43 cm. Thick 0.8 mm.	35.8 x 43.8 cm. Thick 0.8 mm.
Bowl Size	47.2 x 40.2 cm. Depth 18 cm.	33 x 41 cm. Depth 19 cm.
Cutting Size	46.5 x 39.5 cm.	32.5 x 40.5 cm.

FREE

- Drainer 3.5" Big Basket
 - with overflow P-TRAP (P31PP)
- *Faucet not included.*

BL33X2B


	BL33X2B
Type	2 Bowls
Overall Dimension	75 x 47 cm. Thick 0.8 mm.
Bowl Size	33 x 41 cm. Depth 19 cm.
Cutting Size	71 x 43 cm. (R95 mm corner design)

FREE

- Drainer 3.5" Big Basket
 - with overflow P-TRAP (P32PP)
- *Faucet not included.*

MULTIFUNCTIONAL SINK SM761GFGM

**AISI
304** STAINLESS
STEEL
AISI 304



FULLY MULTIFUNCTIONAL SINK

the ultimate in kitchen workstation design. Nano Sandblasted PVD coating in Grey Metal.



NANO PVD TECHNOLOGY

Nano Sandblasted PVD coating reduces surface tension so water beads off; easy to maintain, keeps sink looking clean and new.



PRESS & RINSE

glass rinser: place glass over the rinser and press gently; clean water flushes inside the glass thoroughly.



WATERFALL FLOW SYSTEM

retractable waterfall spout with on/off valve for wide-area rinsing of vegetables, fruits, or kitchen utensils.

Multifunctional Sink

Sink with complete accessories set



Pull-Out Faucet
with 3 Special Functions



Glass rinser for quick and
convenient cleaning



Waterfall washing system for
fruits, vegetables, and kitchenware



Wooden cutting board
designed for sink use



Multi-purpose tray with
built-in drain control.



Triangle drain tray with
angled base for easy drainage

SM761GFGM



	SM761GFGM
Type	1 Bowl
Overall Dimension	76 x 47 cm. Thick 3 mm.
Bowl Size	71.72 x 37.5 cm. Depth 21.5 cm. Thick 0.8 mm.
Cutting Size	74 x 45 cm.

FREE



Pull-Out Mixer Tap
TMS03GM



Glass Rinser
CW04GM



Triangular Drainer
CL370GM



Chopping Board
CB390



Multi-Purpose Tray
SB370GM



Waterfall Spout with Valve
WFS812GM



AISI 304 **STAINLESS STEEL**
AISI 304

BIX Series

Modern multifunction sink with stylish design and complete accessories. Made from high-quality AISI 304 stainless steel for durability, safety, and convenient all-in-one kitchen use.



Slide Through Accessory system

Accessories slot onto rim, slide left/right without obstruction from tap



Multifunction tap

With 4 spray modes: normal / waterfall / jet / overflow



Stainless Steel 304

Strong, durable, and food-safe



Soap dispenser

Refillable from above without removing the bottle

BIX Series

All-in-one multifunction kitchen sink



BIX100BM-MF



	BIX100BM-MF
Type	2 Bowls
Overall Dimension	100 x 51.5 cm. Thick 0.7 mm.
Bowl Size	45 x 40 , 45 x 40 cm. Depth 19 cm.
Cutting Size	98 x 49.5 cm.

BIX85BM-MF



	BIX85BM-MF
Type	1 Bowl
Overall Dimension	86 x 51.5 cm. Thick 0.7 mm.
Bowl Size	80 x 40 cm. Depth 21 cm.
Cutting Size	84 x 49.5 cm.

BIX60BM-MF



	BIX60BM-MF
Type	1 Bowl
Overall Dimension	61.5 x 51.5 cm. Thick 0.6 mm.
Bowl Size	55 x 40 cm. Depth 21 cm.
Cutting Size	59.5 x 49.5 cm.

BIX50BM-MF



	BIX50BM-MF
Type	1 Bowl
Overall Dimension	51.5 x 51.5 cm. Thick 0.6 mm.
Bowl Size	45 x 40 cm. Depth 21 cm.
Cutting Size	49.5 x 49.5 cm.

FREE

MULTIFUNCTION TAP



Cold Water Tap
LF04SC



Standard
water flow



Waterfall
water flow



Spray
water flow



Overflow
water flow



Soap Dispenser
SD07S



Colander basket
CL4020



Multi-purpose tray
BS4020

- Drainer 3.5" B-Mesh Basket
 - Drain pipe with odor trap
- P31PP (for 1-bowl sink)
P32PP (for 2-bowl sink)

**AISI
304**
**STAINLESS
STEEL
AISI 304**
**EXTRALUX BOWL SERIES
TRULY FUNCTIONAL**

Elegant modern stainless-steel sink with clean lines and a deep rounded rectangular bowl. Its polished surface reflects light beautifully, creating a premium look that enhances any kitchen.


Extra-small sink corners

Convenient and versatile with improved drainage.


Extra-wide sink bowl

Designed for easier dishwashing


Deeper sink bowl

Designed for easier dishwashing


Wider divider between bowls

Stronger structure for installing larger faucets


Wide dish rack tray

Convenient and versatile with improved drainage

ELB Series
Modern square sink
ELB230BM


	ELB230BM
Type	2 Bowls 1 Drain
Overall Dimension	130 x 50 cm. Thick 0.7 mm.
Bowl Size	45 x 40 , 40 x 40 cm. Depth 19 cm.
Cutting Size	128 x 48 cm.

ELB120BM


	ELB120BM
Type	2 Bowls
Overall Dimension	100 x 50 cm. Thick 0.7 mm.
Bowl Size	45 x 40 , 40 x 40 cm. Depth 19 cm.
Cutting Size	98 x 48 cm.

ELB101BM


	ELB101BM
Type	1 Bowl 1 Drain
Overall Dimension	100 x 50 cm. Thick 0.6 mm.
Bowl Size	55 x 40 cm. Depth 19 cm.
Cutting Size	98 x 48 cm.

ELB80BM



	ELB80BM
Type	1 Bowl 1 Drain
Overall Dimension	80 x 50 cm. Thick 0.6 mm.
Bowl Size	45 x 40 cm. Depth 19 cm.
Cutting Size	78 x 48 cm.

ELB50BM


	ELB50BM
Type	1 Bowl
Overall Dimension	50 x 50 cm. Thick 0.6 mm.
Bowl Size	41.5 x 39.5 cm. Depth 20 cm.
Cutting Size	48 x 48 cm.

FREE

- Cold water tap (600.-)
- Drainer 3.5" B-Mesh Basket
- Drain pipe with odor trap
P31PP (for 1-bowl sink)
P32PP (for 2-bowl sink)


**AISI
304**
**STAINLESS
STEEL
AISI 304**

DLS Series

Stainless-steel sinks available in various sizes to suit any kitchen. Designed with a large, deep bowl for easier cleaning, and can be installed with the bowl on either the left or right side.

DLS Series

A popular sink series you can't miss

DLS200B



DLS86B



	DLS200B	DLS86B
Type	2 Bowls 1 Drain	2 Bowls
Overall Dimension	120 x 50 cm. Thick 0.7 mm.	86 x 50 cm. Thick 0.7 mm.
Bowl Size	41.5 x 39.5 cm. Depth 20 cm. 33 x 39.5 cm. Depth 18 cm.	41.5 x 39.5 cm. Depth 20 cm. 33 x 39.5 cm. Depth 18 cm.
Cutting Size	118 x 48 cm.	84 x 48 cm.
Installation	Reversible left/right installation	

FREE

- Cold water tap (600.-)
- Drainer 3.5" Big Basket
- Drain pipe with odor trap (P31PP)

DLS100B



DLS80B



DLS50B



	DLS100B	DLS80B	DLS50B
Type	1 Bowl 1 Drain	1 Bowl 1 Drain	1 Bowl
Overall Dimension	100 x 50 cm. Thick 0.6 mm.	82 x 47 cm. Thick 0.6 mm.	50 x 50 cm. Thick 0.6 mm.
Bowl Size	48 x 41.5 cm. Depth 20.5 cm.	41.5 x 39.5 cm. Depth 20.5 cm.	41.5 x 39.5 cm. Depth 20.5 cm.
Cutting Size	98 x 48 cm.	80 x 45 cm.	48 x 48 cm.
Installation	Reversible left/right installation	Reversible left/right installation	

FREE

- Cold water tap (600.-)
- Drainer 3.5" Big Basket
- Drain pipe with odor trap (P31PP)

**AISI
304****STAINLESS
STEEL
AISI 304****BIX3-LB | BIX3-RB**

	BIX3-LB (L-Bowl, R-Drain) BIX3-RB (R-Bowl, L-Drain)
Type	2 Bowls 1 Drain
Overall Dimension	120 x 50 cm. Thick 0.8 mm.
Bowl Size	41 x 41cm. Depth 24 cm. 33 x 41 cm. Depth 20.5 cm.
Cutting Size	118 x 48 cm.

FREE

- Drainer 3.5" Big Basket
- Drain pipe with odor trap (P32PP)

MSA200B

	MSA200B
Type	2 Bowls 1 Drain
Overall Dimension	120 x 50 cm. Thick 0.6 cm.
Bowl Size	41 x 41 , 33 x 41 cm. Depth 18.5 cm.
Cutting Size	118 x 48 cm.
Installation	Reversible left/right installation

FREE

- Cold water tap (600.-)
- Drainer 3.5" Big Basket
- Drain pipe with odor trap (P32PP)

DL75MN

	DL75MN
Type	1 Bowl 1 Drain
Overall Dimension	75 x 43 cm. Thick 0.5 mm.
Bowl Size	40.5 x 36.5 cm. Depth 16 cm.
Cutting Size	73 x 41 cm.
Installation	Reversible left/right installation

FREE

- Cold water tap (600.-)
- Drainer 4" MN
- Overflow with P-TRAP (P41PP)

SUM03

	SUM03
Type	1 Bowl
Overall Dimension	80 x 50 cm. Thick 0.8 mm.
Bowl Size	71.2 x 41.5 cm. Depth 25 cm.
Cutting Size	78 x 48 cm.

FREE

- Cold water tap (600.-)
- Drainer 3.5" Big Basket
- Drain pipe with odor trap (P31PP)



AISI 304 STAINLESS STEEL AISI 304

DLC Series
Sink designed for ASEAN kitchens, combining style and function with expanded bowl space from curved corners, a 50 mm rim, and a tapered canalize drainer for efficient water flow.

DLC Series Value Series Sink with A Modern Design

DLC202



DLC101



	DLC202	DLC101
Type	2 Bowls 1 Drain	1 Bowl 1 Drain
Overall Dimension	120 x 50 cm. Thick 0.6 mm.	100 x 50 cm. Thick 0.6 mm.
Bowl Size	37.2 x 40 cm. Depth 19.5 cm.	48 x 41.5 cm. Depth 20 cm.
Cutting Size	118 x 48 cm.	98 x 48 cm.

FREE

- Cold Water Faucet (600.-)
- Drainer 4.5" with Built-in Odor Trap and Overflow Pipe

P41PP (For 1 Bowl)
P42PP (For 2 Bowls)

DLC81



DLC50



	DLC81	DLC50
Type	1 Bowl 1 Drain	1 Bowl
Overall Dimension	80 x 50 cm. Thick 0.6 mm.	50 x 50 cm. Thick 0.5 mm.
Bowl Size	39.5 x 41.5 cm. Depth 20 cm.	41.5 x 39.5 cm. Depth 20 cm.
Cutting Size	78 x 48 cm.	48 x 48 cm.

FREE

- Cold Water Faucet (600.-)
- Drainer 4.5" with Built-in Odor Trap and Overflow Pipe
- Overflow with P-TRAP (P41PP)

DLA Series**Super Value Serie Sink****AISI
304****STAINLESS
STEEL
AISI 304****DLA202**

	DLA202
Type	2 Bowls 1 Drain
Overall Dimension	120 x 50 cm. Thick 0.6 mm.
Bowl Size	37.2 x 40 cm. Depth 18 cm.
Cutting Size	118 x 48 cm.
Installation	Reversible left/right installation

FREE

- Cold Water Faucet (600.-)
- Drainer 4.5" with Built-in Odor Trap
- Overflow with P-TRAP (P42PP)

DLA101**DLA81****DLA50**

	DLA101	DLA81	DLA50
Type	1 Bowl 1 Drain	1 Bowl 1 Drain	1 Bowl
Overall Dimension	100 x 50 cm. Thick 0.6 mm.	80 x 50 cm. Thick 0.6 mm.	50 x 50 cm. Thick 0.6 mm.
Bowl Size	47 x 41 cm. Depth 19 cm.	37.2 x 40 cm. Depth 17.5 cm.	40.5 x 36.5 cm. Depth 19 cm.
Cutting Size	98 x 48 cm.	78 x 48 cm.	48 x 48 cm.
Installation	Reversible left/right installation	Reversible left/right installation	

FREE

- Cold Water Faucet (600.-)
- Drainer 4.5" ML with Built-in Odor Trap
- Overflow with P-TRAP (P41PP)

Small Space Sink**Stainless Sink for small kitchen space****R5B****D60B**

	R5B	D60B
Type	1 Round Bowl	1 Bowl
Overall Dimension	Ø 51 cm. Thick 0.8 mm.	65 x 50 cm. Thick 0.6 mm.
Bowl Size	Ø 40 cm. Depth 18 cm.	54.5 x 40 cm. Depth 22 cm.
Cutting Size	Ø 49 cm.	62.5 x 48 cm. (30 mm corner radius)

FREE

- Cold Water Faucet (600.-)
- Drainer 3.5" Big Basket
- Overflow with P-TRAP (P31PP)

R4B**ORION-B**

	R4B	ORION-B
Type	1 Round Bowl	1 Bowl
Overall Dimension	Ø 45 cm. Thick 0.8 mm.	38.2 x 46.2 cm. Thick 0.8 mm.
Bowl Size	Ø 40 cm. Depth 18 cm.	33 x 41 cm. Depth 19 cm.
Cutting Size	Ø 43 cm.	36.2 x 44.2 cm. (95 mm corner radius)

FREE

- Drainer 3.5" Big Basket
- Overflow with P-TRAP (P31PP)

Sink Accessories

Sink Accessories

Strainer Basket

BIG BASKET 2-STEP Function

2-STEP Function FILTER & CLOSE put the basket into the drainer then water will rinse through the screen when push on the middle core to lock basket with drainer ,it will block up water for soaking foods, vegetable, fruit or utensils.

Innovative Newly Design Sink Drainer 3.5" with Stainless steel Big Basket to enhance filtering food scraps more effectively.

* MEX Original Patent

* Apply for some Model



Big Basket | Color : Stainless Steel



- Ø73 mm food waste basket, 40 mm deep, with larger capacity than standard 3.5" strainers. Made from AISI 304 stainless steel (Food Grade)
- Big Basket drain design for enhanced water drainage
- Effectively filters food waste to help reduce clogging
- Helps prevent unpleasant odors and reduce maintenance costs

Big Basket | Color : GM



B-Mesh Basket



ML



Big strainer 4.5" with drainer and stainless steel basket with more drainer hole to enhance performance of filtering food scraps. It can open the drain pipe to clean some dirt remaining inside.

* MEX Original Patent

* Apply for some Model

MN



4" sink drain with integrated odor control

* MEX Original Patent

* Apply for some Model

**Drainer
3.5 Inches**



**Drainer Cover
A275**



Drainer Cover made from plastic coated by stainless steel AISI304, radius 4.5 cm, thickness 3.5 mm. with rubber ring to prevent leakage and lower twist cover made from premium quality plastic.

Sink Accessories

Sink Accessories

■ Sink Accessories

CB Wooden chopping board made from Rain Tree and underwent process of phytosanitary. Food Grade, no any chemical on board and easy to clean.

CB260A



Size 260 x 426 x 22 mm.

*Fit to ST, SC, SCD, BSC, ELB, SQ, BSQ and BIX Series

SUMO Chopping Board



Wooden chopping board made from Eucalyptus size 487 x 220 x 23 mm.

*Fit to SUMO3 and SUMO3BL

CB4024



Rubberwood cutting board with handle hole for easy lifting and hanging.
Size 240 x 424 x 15 mm.

*Fit to ST, SC, SCD, BSC, ELB, SQ, BSQ and BIX Series

CB4020



Rubberwood cutting board with handle hole for easy lifting and hanging.
Size 200 x 424 x 15 mm.

*Fit to ST, SC, SCD, BSC, ELB, SQ, BSQ and BIX Series

BS4020



Multi-purpose tray with built-in drain cover.
Size 186 x 424 x 113 mm.

*Fit to ST, SC, SCD, BSC, ELB, SQ, BSQ, BIX Series

CL4020



Draining basket with water outlet
Size 186 x 424 x 102 mm.

*Fit to ST, SC, SCD, BSC, ELB, SQ, BSQ, BIX Series

BKT330



Stainless Steel Basket AISI304 with rubber plate 4 pcs
size 330 x 425 x 130 mm

*Fit to ST, SC, SCD, BSC, ELB, SQ, BSQ, BIX Series or can be placed freely

SUMO Basket



Stainless Steel Basket
size 447 x 230 x 163 mm.

*Fit to SUMO3 and SUMO3BL

Sink Accessories

Sink Accessories

Sink Accessories

Soap Dispenser Built-in pump soap dispenser for easy refilling by simply removing the pump head, without taking out the bottle.

SD07S



- Color: Stainless Steel
- Capacity: 350 ml

SD07CM



- Color: Chrome
- Capacity: 350 ml

SD07GM



- Color: Grey Metal
- Capacity: 350 ml

SD07BL



- Color: Black
- Capacity: 350 ml

CL23GM



Stainless steel AISI 304 Colander Tray, GM color with Anti-Slip plastic U. Size 209 x 418 x 70 mm.

*Fit to ST, SC, BSC, ELB, SQ, BSQ and BIX Series


CL23



Stainless steel AISI 304 Colander Tray with Anti-Slip plastic U. Size 209 x 418 x 70 mm.

*Fit to ST, SC, BSC, ELB, SQ, BSQ and BIX Series

RM330GM



Roll-Matt, GM color, made of AISI 304 stainless steel with non-slip silicone edges. Conveniently rollable for easy use and cleaning. Size 330 x 426 mm.

*Fit to ST, SC, BSC, ELB, SQ, BSQ and BIX Series

RM330



Roll-Matt, made of AISI 304 stainless steel with non-slip silicone edges. Conveniently rollable for easy use and cleaning. Size 330 x 426 mm.

*Fit to ST, SC, BSC, ELB, SQ, BSQ and BIX Series

S40

Degreasing cleaner for removing grease buildup on kitchen appliances and kitchen surfaces.

- Grease filters and range hood accessories
- Gas stoves and accessories
- Kitchen floors and walls
- Net weight: 250 g



Steel Clean

Stainless-steel cleaner and polish. Simply spray onto a clean, dry surface and wipe - no rinsing required.

- Removes grease, fingerprints, and water stains
- Safe on surfaces, non-corrosive
- Enhances stainless-steel shine
- Net content: 80 ml




Sink Accessories

Sink Accessories

■ P-trap | Sink Drain Pipe with Integrated Odor Trap

P51PP

Drain Pipe for Single bowl Easy fit, enable to connect to the wall and floor.



P52PP


Drain Pipe for Double bowl Easy fit, enable to connect to the wall and floor.



P41PP

Fit to Drainer 4" MN and 4.5" ML

Drain Pipe for Single bowl Easy fit, enable to connect to the wall and floor.



P42PP

Fit to Drainer 4" MN and 4.5" ML

Drain Pipe for Double bowl Easy fit, enable to connect to the wall and floor.



P31PP

Drain Pipe for Single bowl Easy fit, enable to connect to the wall and floor.



P32PP

Drain Pipe for Double bowl Easy fit, enable to connect to the wall and floor.



08


Tap

When design meets function



Pull Out Tap Modern chrome faucet

Pull-Out design for effortless use
and modern luxury.



The pull-out hose
length from the faucet
spout should not
exceed 35 cm.

3358-D6

- Colour: Chrome
- Ceramic cartridge valve
- Pull-out head — adjustable direction
- Aerator for smooth water flow
- Lever handle
- Tap height: 271 mm | Spout reach: 205 mm
- Tap hole size: Ø 32–35 mm
- Note: do not extend pull-out hose beyond 35 cm from spout

360° H 271 mm

Design to Difference

Stand out from the ordinary.

Modern Design Faucet to
reflect the user unique style
with Red Handle wiper.

2105S-E40BR


- Matted Black
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper Red Color
- Projection 200 mm.
- Tap hole Ø 32 mm.



360° H 381 mm



New Design
Valve



Swap Valve
Adjust Cool
to Hot



Square Tap
Base



Unique Design
Rough Surface

Sleek in Detail

Matted Black faucet with chrome
handle wipe fit to perfect faucet
height.

11105SB-E36B

- Matted Black
- Ceramic disc cartridge
- Aerator which percolate water gentle
- Handle Wiper
- Projection 210 mm.
- Tap hole Ø 32 mm.



360° H 397.2 mm

Symbol guideline:



Hot and Cold Mixing Tap



Cold Tap



Tap with 360° rotation



H 000 mm Tap height

Innovation with Style

The best design hot-cold water mixer faucet.
Innovation beyond words.

2 Ways Spout



Percolates
water gently



Spray Head



Flexible Spray
hose



Swivel area
360 degree



Magnetic docking system
to lock spray head into place

11088QT-D94A2

- Brass body, Stainless steel Spout coating chromium-black
- Ceramic disc cartridge
- Removable spout with flexible direction
- Aerator which percolate water gently
- Handle Wiper
- Projection 232 mm.
- Tap hole Ø 35 mm
- Top Counter Fitting



More
details and
review on
website



H

615 mm




When Design Meets Function

9328-D6

- Chromium
- Ceramic disc cartridge
- Spring Spout
- Handle Wiper
- Removable and flexible spray
- Tap hole Ø 35 mm.



Adjustable
Pull-out Spray



Fitting Ring lock
spray head



The center axis
can be rotated
360 degree



More
details and
review on
website






H

495 mm

A New Perspective Design

Hot-Cold and Drinking water mix faucet **Duo Flow**. Make you life easier with Hot & Cold and Drink water mixed faucet : 3 in 1 to save more space.



1355-D6


- Brass body coating chromium color
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Projection 206 mm.
- Tap hole Ø 32 mm.

360° H 295 mm


Stylish Functionality

9318-D6


- Chromium color
- Ceramic disc cartridge
- Handle Wiper
- Removable pull-out adjustable spray
- Tap hole Ø 35 mm.



Press Button to pullout spray



Flexible pull-out and conceal spray head



Longer hose length



More details and review on website

360° H 436 mm

MULTIFUNCTION TAP

Sleek, modern design with 3 adjustable spray modes for easy washing and food prep, meeting all your kitchen needs.

NEW
ARRIVAL

**AISI
304**

**STAINLESS
STEEL
AISI 304**



Standard
Water Flow



Spray
Water Flow



Waterfall
Water Flow



TFP03GM ●●

- Grey Metal
- Ceramic disc cartridge
- Swivel Spout 360°
- Pull-out faucet head with Omnidirectional
- 3 adjustable spray modes
 - Standard Water Flow
 - Spray Water Flow
 - Waterfall Water Flow
- Aerator which percolate water gently
- Handle Wiper
- Height 443 mm.
- Projection 217 mm.
- Tap hole Ø 32 mm.

360° H 443 mm



TFP03S ●●

- Stainless Steel
- Ceramic disc cartridge
- Swivel Spout 360°
- Pull-out faucet head with Omnidirectional
- 3 adjustable spray modes
 - Standard Water Flow
 - Spray Water Flow
 - Waterfall Water Flow
- Aerator which percolate water gently
- Handle Wiper
- Height 443 mm.
- Projection 217 mm.
- Tap hole Ø 32 mm.

360° H 443 mm



Standard
Water Flow



Shower
Water Flow



Jet
Water Flow



TMS03GM ●●

- Grey Metal
- Ceramic disc cartridge
- Swivel Spout 360°
- Pull-out faucet head with Omnidirectional
- 3 adjustable spray modes
 - Standard Water Flow
 - Shower Water Flow
 - Jet Water Flow
- Aerator which percolate water gently
- Handle Wiper
- Height 453 mm.
- Projection 215 mm.
- Tap hole Ø 32 mm.

360° H 427 mm



TMS03S ●●

- Stainless Steel
- Ceramic disc cartridge
- Swivel Spout 360°
- Pull-out faucet head with Omnidirectional
- 3 adjustable spray modes
 - Standard Water Flow
 - Shower Water Flow
 - Jet Water Flow
- Aerator which percolate water gently
- Handle Wiper
- Height 453 mm.
- Projection 215 mm.
- Tap hole Ø 32 mm.

360° H 427 mm



Kitchen Sink Mixer Tap

Countertop Kitchen Sink Mixer Tap ●●

1345-D6 (B)



- Black
- Ceramic disc cartridge
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

More
details and
review on
website



360° H 291 mm

1345-D6 (W)



- White
- Ceramic disc cartridge
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 291 mm

1345-D6



- Chromium
- Ceramic disc cartridge
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 291 mm

11105SB-E36



- Brass body, Stainless steel Spout
- Chromium
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 380.2 mm

11105S-E36



- Brass body, Stainless steel Spout
- Chromium
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 397.2 mm

11005S-E9



- Chromium
- Ceramic disc cartridge
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 399 mm

Kitchen Sink Cold Water Tap

Counter Top Kitchen Cold Tap

1105KSD-E9B



- Black
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 351 mm

1105KSD-E9



- Chromium
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 351 mm

1105KSB-E9




- Chromium
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Tap hole at least Ø 32-35 mm.

360° H 381.5 mm

TP1030R-GM

NEW
ARRIVAL




- Grey Metal
- Ceramic disc cartridge
- Aerator which percolate water gently
- 90° left to turn on
- Tap hole at least Ø 32 mm.

360° H 300 mm

TP1030R-B

NEW
ARRIVAL



- Black
- Ceramic disc cartridge
- Aerator which percolate water gently
- 90° left to turn on
- Tap hole at least Ø 32 mm.

360° H 300 mm

TP1030R



- Stainless Steel
- Ceramic disc cartridge
- Aerator which percolate water gently
- 90° left to turn on
- Tap hole at least Ø 32 mm.

360° H 300 mm

LF04SC

NEW
ARRIVAL

MULTIFUNCTION TAP



Standard
Water Flow



Waterfall
Water Flow



Spray
Water Flow



Overflow
Flow



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 380 mm

120B-F25



- Chromium
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 278 mm

Kitchen Sink Cold Water Tap

N302IX



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 320 mm

N301IX



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 340 mm

N262IX



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 295 mm

N261IX



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 295 mm

Minimal-style faucet

Sleek design with durability and flexible use, perfect for modern kitchens.

**AISI
304**

**STAINLESS
STEEL
AISI 304**

TP232GM



- Grey Metal
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 257 mm

TP232



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 257 mm

TP234



- Stainless Steel
- 90° left to turn on
- Ceramic disc cartridge
- Tap hole at least Ø 32 mm.

360° H 285 mm

EASY-FIT

The Easiest innovative installation of faucet just in 5 minutes



Aerator which percolates water gently.

AISI 304

Material stainless steel AISI304, high spout, flexible swivel 360 degree with handle wiper.


360°



EASY-FIT Original Patent for super easy 5 min installation from above countertop, not be complicate like undercounter.



Extra long hose 500 mm. including the hex nut block cover used to screw hexnut.



4

How to install EASY-FIT



1 Learn Tap along the side and pass flexible hose through the hole in the sink.



2 Lock up base tightly by screwdriver or electric drill.



3 Settle Tap body straight angle and tighten up by the L-shape Hex Key.




4 Connect Hose to the value and tighten up the joint by screw hex nut.

E301IX




- Stainless Steel
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Projection 190 mm.
- Tap hole at least Ø 32 mm.



E302IX



- Stainless Steel
- Ceramic disc cartridge
- Aerator which percolate water gently
- Handle Wiper
- Projection 205 mm.
- Tap hole at least Ø 32 mm.



09

Small Appliance

Designed to elevate daily living.



ZEN CHA KETTLE

Classic craftsmanship meets refined minimalism. The Zen Cha Kettle's precision gooseneck spout delivers a smooth, controlled pour - transforming tea brewing into a ritual.



KPL406CR | Capacity: 0.6 Liters

- Precision gooseneck spout for smooth, consistent, splash-free water flow.
- Food-grade SUS304 stainless steel water tank - durable, hygienic, and body-safe.
- 360° rotating cordless base for flexible convenient pouring.
- Silicone non-slip base feet for stable placement.
- Concealed cord storage for a clean, organised workspace.
- Ergonomic handle with 270° rotation for comfortable, cordless lifting and pouring.
- LED boiling status indicator for instant monitoring.
- Auto shut-off protection - triggers when water boils or runs dry.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-5 minutes*.



KPL507B | Capacity: 0.7 Liters

- Precision gooseneck spout for smooth, consistent, splash-free water flow.
- Food-grade SUS304 stainless steel water tank - durable, hygienic, and body-safe.
- 360° rotating cordless base for flexible, convenient pouring.
- Silicone non-slip base feet for stable placement.
- Concealed cord storage for a clean, organised workspace.
- Ergonomic cordless handle for comfortable, cordless lifting and pouring.
- LED boiling status indicator for instant monitoring.
- Auto shut-off protection - triggers when water boils or runs dry.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-5 minutes*.



● KPL608B

○ KPL608W

KPL608B / KPL608W | Capacity: 0.8 Liters

- Precision swan-neck spout engineered for accurate, barista-style water control - ideal for pour-over coffee and specialty tea.
- Food-grade SUS304 stainless steel water tank - hygienic, durable, and body-safe.
- 360° rotating cordless base for flexible, convenient pouring.
- Silicone non-slip base feet for stable placement.
- Concealed cord storage for a clean, organised workspace.
- Ergonomic cordless handle for comfortable, cordless lifting and pouring.
- Double Wall heat-resistant exterior - stays cool to the touch during use.
- LED boiling status indicator for instant monitoring.
- Auto shut-off protection - triggers when water boils or runs dry.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-5 minutes*.

*Boiling time varies depending on water volume and starting temperature.

Kettle



Tea Filter Edition! >>

Made of food-grade 304 stainless steel.

KPLG105TW-1 | Capacity: 0.5 Liters

- A signature wood-finish handle.
- Heat-resistant outer body with premium high-temperature glass water tank.
- 360° rotating cordless base for flexible, convenient pouring.
- Intuitive touch-control operation.
- SUS304 stainless steel tea leaf strainer - brew loose-leaf tea with ease, directly in the kettle.
- 6 precision temperature presets (40 / 55 / 70 / 85 / 95 / 100°C) - matched to your preferred beverage.
- Real-time digital display showing current temperature and boiling status.
- Auto shut-off protection triggers when water boils or runs dry.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-8 minutes*.

KPL306CR | Capacity: 0.6 Liters



- Minimalist design - lightweight, compact, and countertop-friendly.
- Double Wall heat-resistant exterior stays cool to the touch during use.
- Food-grade SUS304 stainless steel water tank hygienic, durable, and body-safe.
- 360° rotating cordless base for flexible, convenient pouring.
- Silicone non-slip base feet for stable placement.
- Auto shut-off protection triggers when water boils or runs dry.
- LED boiling status indicator for instant monitoring.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-7 minutes*.

KPL110B / KPL110W | Capacity: 1.0 Liter



● KPL110B

○ KPL110W

- Minimalist design lightweight and compact.
- Double Wall heat-resistant exterior - stays cool to the touch during use.
- Food-grade SUS304 stainless steel water tank - hygienic, durable, and body-safe.
- 360° rotating cordless base with integrated cord storage for a tidy workspace.
- Silicone non-slip base feet for stable placement.
- Auto shut-off protection - triggers when water boils or runs dry.
- LED boiling status indicator for instant monitoring.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-8 minutes*.

KPL215B / KPL215W | Capacity: 1.5 Liters



● KPL215B

○ KPL215W

- Generous 1.5L family capacity with an ergonomic, balanced handle for easy one-handed pouring.
- Double Wall heat-resistant exterior - stays cool to the touch during use.
- Food-grade SUS304 stainless steel water tank - hygienic, durable, and body-safe.
- 360° rotating cordless base with integrated cord storage for a tidy workspace.
- Silicone non-slip base feet for stable placement.
- Auto shut-off protection - triggers when water boils or runs dry.
- LED boiling status indicator for instant monitoring.
- UK-certified Strix Controller for precise, reliable heat regulation.
- Rapid quiet boil - ready in 3-8 minutes*.

TABLE TOP INDUCTION COOKER

Designed to complement every generation - the MEX Table Top Induction Cooker pairs distinctive, modern styling with intuitive operation. Compact enough for any kitchen, powerful enough for every meal.



Table top Induction Cooker

BEST SELLER!



FREE!
Cookware
Pot



PIC212 | 1-Zone Induction Cooker

- Single induction zone, Ø17.5 cm. cooking surface.
- Premium cream matte finish body and glass surface
- 6-level rotary power control (250–2,100W) for precise heat adjustment.
- Built-in cooling fan to maintain coil performance and longevity.
- Intelligent pot detection with automatic cut-off when no compatible cookware is placed.
- Operating indicator light and alert sound.
- Complimentary SUS304 stainless steel pot with glass lid



FREE!
Cookware
Pot



PICMN111 | 1-Zone Induction Cooker

- Single induction zone, Ø16.0 cm. cooking surface.
- Premium cream matte finish body and glass surface
- 6-level rotary power control (80–1,200 W) for precise heat adjustment.
- Built-in cooling fan to maintain coil performance and longevity.
- Intelligent pot detection with automatic cut-off when no compatible cookware is placed.
- Operating indicator light and alert sound.
- Complimentary SUS304 stainless steel pot with glass lid



FREE!
Cookware
Pot



PIC11S | 1-Zone Induction Cooker - Touch + Knob Control

- Single induction zone, Ø19.6 cm. cooking surface.
- Sleek silver body with black glass surface for a bold, modern kitchen aesthetic.
- Dual-control interface: touch panel and rotary knob with 9 power levels (400–2,000W).
- Built-in cooling fan to maintain coil performance and longevity.
- Programmable timer up to 240 minutes with digital display for precise cooking control.
- Auto control-panel lock - activates within 1 minute of inactivity for child safety.
- Intelligent pot detection with automatic cut-off when no compatible cookware is placed.
- Operating indicator light and alert sound.
- Complimentary SUS304 stainless steel pot with glass lid

COOKWARE COOKING ESSENTIALS



83

Cookware

MP10128 | Grill Pan



- Grill pan made from aluminum with thick 3-layer coating.
- Square design, 28 cm.
- Durable and strong for everyday use.
- Free from harmful substances.
- Excellent heat distribution - food cooks evenly without sticking, easy to clean.
- Wood-grain print plastic handle with ergonomic grip.

CSA247CR | Casserole



- Cream casserole pot with glass lid.
- Made from aluminum with 6-Layer High Quality Coating.
- PFOA & PFOS Free - no harmful substances.
- Size: 24 cm. / Capacity: 3.4 L
- Excellent heat distribution - food cooks evenly without sticking, easy to clean.
- High heat-resistant silicone handles.
- Heat-resistant lid with steam vent.

CSS167CR | Stainless Steel Pot (16 cm.)



SUS 304

- Stainless steel pot with heat-resistant glass lid and steam vent.
- Inner & Outer: 2-layer Grade 304 stainless steel.
- Size: 16 cm. / Capacity: 1 L
- Excellent heat distribution - food cooks evenly.
- Strong, durable stainless handles.




CSS209CR | Stainless Steel Pot (20 cm.)



SUS 304

- Stainless steel pot with heat-resistant glass lid and steam vent.
- Inner & Outer: 2-layer Grade 304 stainless steel.
- Size: 20 cm. / Capacity: 2 L
- Excellent heat distribution - food cooks evenly.
- Strong, durable stainless handles.



Pans and pots are compatible with all hob types.



ELECTRIC



CERAMIC



HALOGEN



GAS



INDUCTION

SMS209 | Multi-purpose Steamer Tray



SUS 304

- Multi-purpose steaming tray.
- Compatible with CSS209CR pot.
- Size: 20 cm. / Height: 10 cm.

Tumbler



SUS 316

inner

SUS 304

outer

COC145CR | COC145BL

- Stainless steel hot/cold insulated cup, 450 ml. capacity.
- Inner: SUS316 stainless steel.
- Outer: SUS304 stainless steel.
- Screw-on drinking lid made from PP plastic.
- Compact and comfortable easy to clean.
- Non-slip pad on the bottom to prevent spills or tipping.



SUS 316

inner

SUS 304

outer

HOH145CR | HOH145BL

- Stainless steel hot/cold insulated bottle, 450 ml. capacity.
- Inner: SUS316 stainless steel.
- Outer: SUS304 stainless steel.
- Screw-on drinking lid with tea leaf strainer made from PP plastic.
- Compact and comfortable - easy to clean.
- Non-slip pad on the bottom to prevent spills or tipping.



SUS 316

inner

SUS 304

outer

HOH165CR | HOH165BL

- Stainless steel hot/cold insulated bottle, 650 ml capacity.
- Inner: SUS316 stainless steel.
- Outer: SUS304 stainless steel.
- Screw-on drinking lid with tea leaf strainer - made from PP plastic.
- Compact and comfortable - easy to clean.
- Non-slip pad on the bottom to prevent spills or tipping.

EASY EVERYDAY COOKING

Minimalist-designed home appliances that meet modern cooking needs, allowing you to enjoy meals and create new menu experiences everyday without getting bored.



Smart Touch Control
Easy Temp & Time adjustment

Metal Inner Basket
Safe & Durable



Air Fryer and Steam Oven Toaster

ARi *The right toaster makes your kitchen feel warm.*

ARI-M151 | Air Fryer 5 Liters



- Matte black plastic body - sleek and modern.
- 12 preset cooking programs
- Rapid Air heating technology for crispy, delicious, and evenly cooked food.
- Smart Touch Control panel: program, temperature, and countdown timer.
- Precise temperature control up to 200°C for everything from reheating to full roasting.
- Adjustable cooking timer up to 30 minutes.
- Durable metal inner basket for food-safe, long-lasting performance.
- Auto-off safety system activates when the basket is removed, with operation indicator light.
- Non-stick coated frying basket and rack - effortless cleaning after every use.
- Cool-touch handle for safe and confident handling.

YURI *Great taste in everyday cooking.*

YURI101SC | Steam Oven Toaster 10 Liters

Included Accessory
5cc Water Cup



- Minimalist design / Cream body.
- Double-layer glass with Low-E Glass inner layer — reduces heat loss and saves energy.
- Glass door for easy viewing of food inside.
- 7 automatic cooking programs.
- Adjustable cooking temperature 100–230°C.
- Cooking timer up to 30 minutes.
- Alert bell when cooking is complete.
- Touch control power on/off.
- Touch START and PAUSE programs.
- 2 rotary knobs for automatic program or temperature and time control.
- Digital display showing program, temperature, and time.
- Includes: 1 enamel-coated baking tray, 1 rack, 1 x 5cc water cup, and 1 crumb tray.

MIDI OVEN

Table Top Electric Oven

A brand-new minimalist design with cooking and baking functions all in one machine, allowing you to easily create and craft new recipes with perfect results.



EASY TOUCH & EASY CONTROL

Digital Timer

Digital time display design with an easy-to-use touch control system.

Pop-up Design

Temperature and program control knobs designed with a perfect blend of unique style and practical functionality.

Big Satisfaction 45L Capacity

Spacious cooking racks allow for larger portions, while the convection fan system distributes heat evenly for faster and more thorough cooking.



Table Top Electric Oven MIDI456ES



- 5 versatile cooking programs plus yogurt making program
- Selectable heating configurations
 - < Upper heating element baking program
 - < Lower heating element baking program
 - < Upper and lower heating element baking program.
 - < Upper and lower heating element baking program with convection fan.
- Adjustable cooking temperature 40–240°C.
- Digital Timer display, timer up to 4 hours.
- 2 Pop-Up rotary knobs for program and temperature control.
- Double-layer glass door — reduces heat loss, saves energy, and increases safety.
- Convection fan for heat distribution.
- Automatic interior light when cooking.
- Lower heating element cover — protects against contact and is removable for cleaning.
- 3 shelf positions for food.
- Steam Cleaning function for fast, chemical-free oven maintenance.
- Durable hinges with dual-side holders and silver handle — modern design.
- Includes: 1 enamel baking tray and 1 wire rack.
- Manufactured in Europe — High quality and safety standards.




Standcool

Perfect for all bakers


covers every baking need, whether dough mixing, beating butter, whisking eggs, or blending other foods. Comes with easy-to-use functions and accessories for both savory and sweet dishes.

Patented Cooling System

StandCool's patent-protected thermal management system design that improves performance and allows continuous operation for up to 1 hour.




LED indicator lights up when switched on.




The motor stops automatically when the head is raised.



Easy-to-read digital time display.



Rotary knob with 11 speed settings.



Low-noise operation at under 70 dB.

Accessories*



3-in-1 Pasta Maker



Meat Grinder

*Accessory for use with the StandCool stand mixer.

Stand Mixer

StandCool207 / MB | Stand Mixer 7 Liters



Accessories



Mixing Bowl



Dough Hook



Flat Beater



Whisk



Splash Guard

- Refined cream finish sleek, and luxurious body design with perfectly curved lines — compatible with any kitchen style
- Handles every recipe — comprehensive and versatile dough kneading, butter creaming, egg whisking, sauce blending, and more.
- Die-cast aluminium lower body for structural rigidity; premium-grade plastic upper housing for weight balance.
- Patented Cooling System maintains optimal motor temperature for continuous operation up to 1 hour.
- 11-speed precision control
- Quiet motor for a calm, comfortable kitchen experience.

Technical Specifications

- Product Dimensions: 46.0 × 31.0 × 40.2 cm
- Product Weight: 12.8 kg
- Power: 1500 W
- Voltage: 220–240 V
- Frequency: 50/60 Hz
- Warranty 2 Years

COLOR : ● Gloss Cream

StandCool207

COLOR : ● Black (MB)

StandCool207MB

StandCool105 | Stand Mixer 5 Liters



Accessories



Mixing Bowl



Dough Hook



Flat Beater



Whisk



Splash Guard

- Refined cream finish with elegantly curved lines - a compact stand mixer that brings sophistication to any kitchen.
- Handles every recipe - comprehensive and versatile dough kneading, butter creaming, egg whisking, sauce blending, and more.
- Solid all- Die-cast aluminium construction for superior durability and long-term reliability.
- Patented Cooling System maintains optimal motor temperature for continuous operation up to 1 hour.
- 9-speed precision control
- Low-noise motor design for a quieter kitchen environment.

Technical Specifications

- Product Dimensions: 38.7 x 28.0 x 39.1 cm
- Product Weight: 9.2 kg
- Power: 800 W
- Voltage: 220–240 V
- Frequency: 50/60 Hz
- Warranty 2 Years

COLOR : ● Gloss Cream

STAND MIXER ACCESSORIES



SCP207
Pouring Chute



SCS207
Splash Guard



SCDH207
Dough Hook

SUS
304



SCWW207
Dough Hook

SUS
304



SCB207
Mixing Bowl

SUS
304



SCFB207
Flat Beater

SUS
304



SCFB207S
Polyamide Flat Beater
with Silicone

For StandCool 105



SCDH105
Dough Hook

SUS
304



SCWW105
Dough Hook

SUS
304



SCFB105
Flat Beater

SUS
304



SCB105
Mixing Bowl

SUS
304



SCP105
Pouring Chute



SCS105
Splash Guard

For StandCool 105 and 207



SCMG01
Food Grinder
Attachment

SUS
304



SCSL01
Slicing, Shredding
& Cutting Set

SUS
304



SCPM01
3-in-1 Pasta Roller
& Cutter Set

SUS
304



SCPR01
Pasta Sheet Roller

SUS
304



SCSC01
Spaghetti Cutter

SUS
304



SCFC01
Fettuccine Cutter

SUS
304

10

vacio

Cordless Vacuum Cleaner

Make your best life

The Vacio Cordless Vacuum delivers powerful, unrestricted cleaning wherever you need it — from ceiling corners to under-furniture gaps. With a high-performance BLDC motor and multi-stage cyclone filtration, it makes maintaining a spotless home effortless, quiet, and entirely cable-free.



Cordless Vacuum Cleaner

VACIO



VM601

- Upright cordless vacuum - handheld and floor-cleaning modes.
- Free-standing design, can be placed anywhere.
- Li-ion battery, 28.8 Volts.
- High-speed motor up to 100,000 RPM.
- Suction power: 22 KPa / 150 AW.
- 3 adjustable suction levels.
- Continuous use up to 65 minutes*.
- Charging time: 4-5 hours**.
- Easy charging by placing on charging dock.
- Cyclone technology with 4-stage filtration.
- Large motorized brush head - doesn't damage floor surfaces.

Accessories



Technical Specifications

- Dust Container Capacity: 0.45 L
- Product Dimensions: 25.5 × 21.5 × 113.0 cm
- Product Weight: 3.5 kg
- Warranty 2 Years



VS505

- Handheld cordless stick vacuum - handheld and floor-cleaning modes.
- 2-in-1 design for vacuuming and mopping.
- 90° bend joint for easy access under furniture.
- Li-ion battery, 21.6 Volts.
- High-speed motor up to 100,000 RPM.
- Suction power: 17 KPa / 120 AW.
- 2 adjustable suction levels.
- Continuous use up to 40 minutes*.
- Charging time: 4-5 hours**.
- Removable battery - charge conveniently anywhere.
- Brush head rotates 180° for convenient operation.
- Large motorized brush head - doesn't damage floor surfaces.

อุปกรณ์เสริม



Technical Specifications

- Dust Container Capacity: 0.4 L
- Product Dimensions: 26.0 x 23.5 x 118.0 cm
- Product Weight: 3 kg
- Warranty 2 Years

*Runtime based on standard brush head operation; motorized brush head reduces runtime.

** Charging duration may vary based on battery condition and usage history.

11

Purifina

Fresh Air For Life

UV GUARD 4X

Advanced Air Defense Professional-grade UV-C Air Sanitization

Powerful UV-C Disinfection Technology with 4 high-power UV-C lamps operating within a sealed UV-C disinfection chamber inside the unit - helps reduce viruses and bacteria in the air.

The UV-C filtration process works in conjunction with the air circulation system to further enhance air purification without emitting UV light to the outside.

HEPA 13

UV Light

Trusted Quality by MEX Confidence in every use.



Trusted & Certified Quality
passed TIS standards and tested
by the Consumer Protection Board.



Quick Filter Replacement
easy to replace and maintain
filters.



Sealed UV Chamber
internal UV system is safe
for use.

Air Purifier with UV-C Technology



P402-UV

CADR
420
(m³/h) **35-60**
sq.m.

P302-UV

CADR
220
(m³/h) **20-30**
sq.m.

Polluted Clean



- UV-C Technology - enhances killing of pathogens, bacteria, and mold on the filter using high-quality UV-C lamps with no ozone generation.
- AQI display + Smart sensor technology real-time PM2.5 display.
- Easy touchscreen control.
- 3-stage filtration: Pre-Filter > HEPA Filter > Activated Carbon Filter filters dust particles 0.3 microns at 99%.
- Child lock for added safety.
- Filter and UV-C lamp replacement indicator light.
- 3-speed fan, 2 modes (1/2/3/Auto/Sleep).
- Timer up to 16 hours.
- Maximum operating noise level ≤60 dB.
- UV-C lamp lifespan up to 9,000 hours*.

- **P402-UV**
- Product Dimensions: 28.0 × 28.0 × 70.0 cm
- Product Weight: 8.3 kg
- Power: 90 W (DC)

- **P302-UV**
- Product Dimensions: 23.5 × 23.5 × 56.0 cm
- Product Weight: 5.6 kg
- Power: 50 W (DC)

HEPA H13 (*For the air purifier filter only, excluding the UV-C lamp.)



Air Filter
FHC-P402



Air Filter
FHC-P302

Air Purifier



CADR
580
(m³/h) **50-70**
sq.m.

Polluted Clean



P501

- Ionizer system helps capture fine dust particles — enhances efficiency and reduces filter load.
- Antibacterial filter layer — inhibits and prevents bacterial growth on the filter.
- AQI display + Smart sensor technology — real-time PM2.5 display.
- Easy touchscreen control.
- 360° Air circulation — designed to circulate air around the entire room.
- Child lock for added safety.
- Filter replacement indicator light.
- 3-speed fan, 2 modes (1/2/3/Auto/Sleep).
- Timer up to 8 hours.
- Maximum operating noise level ≤61 dB.
- Product Dimensions: 31.0 × 31.0 × 66.6 cm
- Product Weight: 6.5 kg
- Power: 70 W (DC)



Air Filter
FHC-P501

HEPA H13
★★★★★

*All MEX air purifier models come with a 2-year warranty.

Air Purifier

P401

- AQI display
real-time PM2.5 display.
- Easy touchscreen control.
- 360° Air circulation around the entire room.
- Child lock for added safety.
- Filter cleaning and replacement indicator light.
- 4-speed fan, 2 modes (1/2/3/Turbo/Auto/Sleep).
- Maximum operating noise level ≤63 dB.
- Product Dimensions: 31.8 × 31.8 × 60.0 cm
- Product Weight: 6.5 kg
- Power: 30 W (DC)



P412

- Ionizer system helps capture fine dust particles — enhances efficiency and reduces filter load.
- Antibacterial filter layer — inhibits and prevents bacterial growth on the filter.
- Real-time PM2.5 display.
- Easy touchscreen control.
- 360° Air circulation around the entire room.
- Child lock for added safety.
- Filter replacement indicator light.
- 3-speed fan, 2 modes (1/2/3/Auto/Sleep).
- Timer up to 8 hours.
- Maximum operating noise level ≤61 dB.
- Product Dimensions: 24.3 × 25.3 × 47.6 cm
- Product Weight: 4.0 kg
- Power: 45 W (DC)



CADR
400
(m³/h)

28-48
sq.m.

Polluted Clean



CADR
350
(m³/h)

45
sq.m.

Polluted Clean



Air Filter
FHC-P401

HEPA H13



Air Filter
FHC-P412

HEPA H13



P301

- AQI display
real-time PM2.5 display.
- Smart sensor technology
rapid air quality detection.
- Easy touchscreen control.
- Filter replacement indicator light.
- 3-speed fan, 2 modes (1/2/3/Auto/Sleep).
- Maximum operating noise level ≤61 dB.
- Product Dimensions: 26.0 × 26.0 × 42.0 cm
- Product Weight: 4.5 kg
- Power: 26 W (DC)



P201

- Ionizer system helps capture fine dust particles - enhances efficiency and reduces filter load.
- Smart sensor technology - rapid air quality detection.
- Easy touchscreen control.
- 360° Air circulation around the entire room.
- Filter replacement indicator light.
- 2-speed fan, 2 modes (1/2/Auto/Sleep).
- Timer up to 8 hours.
- Maximum operating noise level ≤61 dB.
- Product Dimensions: 23.8 × 23.8 × 41.2 cm
- Product Weight: 4.5 kg
- Power: 40 W (AC)



CADR
200
(m³/h)

17-30
sq.m.

Polluted Clean



CADR
187
(m³/h)

24
sq.m.

Polluted Clean







Air Filter
FHC-P301

HEPA H13



Air Filter
FHC-P201

HEPA H13



12

Storage Water Heater

A.O. Smith : Innovation has a name.

With over 152 years of leadership in the water heating industry, A.O. Smith from the United States stands at the top for manufacturing processes trusted by customers worldwide.

150 Years of Excellence



Your Trusted American Company
in Water Heaters and Treatment



Special Features That Set A.O. Smith Apart from Ordinary Water Heaters




01

Blue
Diamond®
Glass
Lining

Up to

10+
YEARS



The tank and heating element are coated with a special glass compound (Blue Diamond® Glass Lining) that protects against tank corrosion and effectively reduces scale build-up, extending service life to over 10 years. This glass-coating formula is A.O. Smith's exclusive patent.



Steel



Blue Diamond®
Glass Lining



Sample image: A standard inner tank without Blue Diamond® Glass Lining coating, with a typical lifespan of only 3–5 years.

02




Capable of maintaining the water temperature inside the tank for up to 6 hours, with a loss of only 5 degrees, thanks to A.O. Smith's proprietary Polyurethane Foam injection insulation technology.



03



Uses a dual-coil heating system that alternates operation to heat water more quickly and save on electricity costs in the long run. (Available only on large-capacity models of 150 litres and above.)




(Available only in large tank models with a capacity of 150 liters and above)

04



Resistant to high-hardness water conditions. Helps trap scale and protects the tank for a long service life.



05



The Thermo Cut-Out immediately shuts off the unit when the water temperature rises abnormally.

- EES series: maximum temperature 74–80 °C
- MEV series: maximum temperature 87 °C
- ELJH series: maximum temperature 85–90 °C




Storage Water Heater

MEV Series

Electric Residential Storage Water Heater Wall-Mounted, Vertical Design



Installation Example Image




Specification	MEV-50	MEV-100
Tank Capacity	45 Litres	90 Litres
Power	2,000 W	2,500 W
Electricity	220 V 50 Hz / 9.09 A	220 V 50 Hz / 11.36 A
Max. Water Pressure	8 Bar	8 Bar
Inlet/Outlet Connector	1/2" (bottom)	1/2" (bottom)
Operating Temperature	25 - 75 °C	25 - 75 °C
Product Dimensions	> Diameter (A) > Height (B)	> Diameter (A) > Height (B)
	Ø 42.5 cm 54.0 cm	Ø 42.5 cm 94.5 cm

ELJH Series

Electric Residential Storage Water Heater Wall-Mounted, Horizontal Design



Installation Example Image



Specification	ELJH-40	ELJH-50	ELJH-80	ELJH-100
Tank Capacity	40 Litres	50 Litres	80 Litres	100 Litres
Power	2,000 W	2,000 W	2,000 W	2,000 W
Electricity	220 V 50 Hz / 9.09 A	220 V 50 Hz / 9.09 A	220 V 50 Hz / 9.09 A	220 V 50 Hz / 9.09 A
Max. Water Pressure	8 Bar	8 Bar	8 Bar	8 Bar
Inlet/Outlet Connector	1/2" (bottom)	1/2" (bottom)	1/2" (bottom)	1/2" (bottom)
Operating Temperature	25-75 °C	25 - 75 °C	25 - 75 °C	25 - 75 °C
Product Dimensions	> Diameter (A) > Height (B)	> Diameter (A) > Height (B)	> Diameter (A) > Height (B)	> Diameter (A) > Height (B)
	Ø 36.0 cm 71.0 cm	Ø 36.0 cm 83.5 cm	Ø 46.3 cm 86.5 cm	Ø 46.3 cm 102.5 cm



150 Years of Excellence




Your Trusted American Company
in Water Heaters and Treatment

EES Series

**Electric Residential
+ Light Commercial
Storage Water Heater
Floor-Standing, Vertical
Design**



Installation Example Image



Specification	EES-40	EES-50	EES-120
Tank Capacity	150 Litres	190 Litres	455 Litres
Power	3,800 W	3,800 W	6,000 W
Electricity	220 V 50 Hz / 9.09 A	220 V 50 Hz / 17.27 A	220 V 50 Hz / 27.27 A
Max. Water Pressure	8 Bar	8 Bar	8 Bar
Inlet/Outlet Connector	3/4" (bottom)	3/4" (bottom)	3/4" (bottom)
Operating Temperature	25 - 75 °C	25 - 66 °C	25 - 66 °C
Product Dimensions > Diameter (A)	Ø 36.0 cm	Ø 53.0 cm	Ø 76.0 cm
> Height (B)	71.0cm	139.5 cm	157.0 cm



MINIBOT 3L

Electric Residential Storage Water Heater
Wall-Mounted, Vertical Design




Beautiful Design
 Modern, sleek form
 in a compact size.




Extended Service Life
 Blue Diamond®
 glass-coated tank protects
 against corrosion and
 extends service life.



High-Pressure Support
 Designed specifically
 for high-rise buildings,
 supporting up to 8 bar
 water pressure.




Includes: 2 high-quality
 heat-resistant **stainless**
braided hoses, 45 cm each.



MiniBot™ is a new storage water heater design from the A.O. Smith brand that stands out both in design and comes equipped with modern heating technology. With a 3-litre capacity, it adds convenience to bathroom installations, while also elevating your bathroom to look sleek, luxurious, and stylish.

Specification	MINIBOT 3L
Tank Capacity	3 Litres
Power	4,500 W
Electricity	230 V 50 Hz / 19.56 A
Max. Water Pressure	8 Bar
Inlet/Outlet Connector	1/2" (bottom)
Product Dimensions	> Diameter (A) 31.7 cm > Width (B) 23.6 cm > Depth (C) 22.8 cm



13

Water Heater

Innovative & Highly Advanced Engineering Features

MEX creates a new showering experience — full of joy. Feel the power of refreshment with MEX water heaters featuring striking external designs with their own unique style, backed by advanced engineering technology to deliver superior heating performance and the highest safety standards — so you can “Shower warm and refreshed, in style, with a MEX water heater.”

SAFETY SYSTEM



■ SAFETY THERMOSTAT

Cuts operation if water temperature rises abnormally. Detects abnormalities quickly and shuts off the unit immediately.

ELCB

■ ELCB

High-quality breaker that cuts electricity when current leakage is as little as 15 mA within 0.1 seconds.

IP
25

■ IP25

Housing made from ABS plastic with water-in-gress protection meeting IP25 safety standard.

STANDARDS



■ TÜV SÜD

All MEX water heater models are certified to IEC STANDARD internationally by TÜV SÜD.



■ ENERGY SAVING

Passed energy efficiency tests per standards set by EGAT and the Ministry of Energy. Energy Label No. 5.



■ TISI STANDARDS

Certified to Thai Industrial Standard TIS 1693-2547 by the Office of Industrial Product Standards, Ministry of Industry.

WARRANTY



■ 2 YEAR WARRANTY

2-Year Product Warranty



■ 5 YEAR WARRANTY ON HEATER TANK

5-Year Warranty on Heater Tank

Multipoint Water Heater

MEX

THE MOST ADVANCED TECHNOLOGY FOR PERFORMANCE & SAFETY

"MEX does not merely design beautiful products. We redesign the water heater system with more advanced engineering technology — becoming the blueprint for the most complete multipoint water heater in terms of both performance and safety."



CUBE 8000R | 8,000 W



- Power : 8,000 W
- Electricity : 220 V 50 Hz / 36.36 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 6.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm

The CUBE water heater has been internationally certified for safety standards by TÜV SÜD.



TURBINE FLOW SENSOR

Industrial-grade sensor that detects water flow with precision to signal the unit to operate.



CUBE 6000R | 6,000 W



- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm

The CUBE water heater has been internationally certified for safety standards by TÜV SÜD.



TURBINE FLOW SENSOR

Industrial-grade sensor that detects water flow with precision to signal the unit to operate.

CENTRI 6R (MB), CENTRI 6R (TI) | 6,000 W



- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 24 X 8.5 X 19 cm

COLOR : ● MB (Black) | ● TI (Titanium)



The CENTRI water heater has been internationally certified for safety standards by TÜV SÜD.



TWIN MODULE

Designed so the control system and electrical system form independent modules, clearly separated from the boiler module, for maximum safety.



HALL EFFECT SENSOR*

Water-flow sensor that maintains stable water temperature even in low-pressure conditions.
*Technology by MEX.



SENSOR TOUCH CONTROL

Touch-based system that lets you select the desired temperature level and switch the unit on/off with a fingertip.

MEX

Water Heater

CRYSTAL SERIES

"Luxurious and stylish from every angle, with modern technology through a digital control system. Adjustable temperature from 32–48 °C for a comfortable and enjoyable warm shower."



The CRYSTAL water heater has been internationally certified for safety standards by TÜV SÜD.



CRYSTAL 5E (NE) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 20.7 X 8.7 X 36 cm

COLOR : ● MB (Black)

CRYSTAL 35E (NE) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 20.7 X 8.7 X 36 cm

COLOR : ● MB (Black)



CRYSTAL 5E (WH) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 20.7 X 8.7 X 36 cm

COLOR : ○ WH (White)

CRYSTAL 35E (WH) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 20.7 X 8.7 X 36 cm

COLOR : ○ WH (White)

ACCESSORIES INCLUDED



- Slide Bar set with soap holder
- 5-step shower head
- 2 stainless steel hoses

ERROR CODE NOTIFICATION



Increased safety with a system that checks wiring and grounding of the unit, with ERROR alerts using codes E1–E5 when installation is incomplete.

HALL EFFECT SENSOR*



Flow sensor that maintains stable water temperature even in low-pressure conditions.
*Technology by MEX.

ELCB TEST BAR*



*Patented by MEX.
New ELCB test button design for easier, more efficient use.

MEX


CRAVE SERIES

TRULY DIGITAL WATER HEATER

More than a water heater, with a design inspired by the reflection of light off ceramic tiles, creating a distinctive dimension from every angle. Comes with Electronic temperature control technology and an LED display that makes your life SMART and SIMPLE.



“Experience a new level of precision in water temperature control.”



RAPID PREHEAT TECHNOLOGY

Technology that adjusts water temperature quickly, accurately, and consistently through Electronic Temperature Control.

The CRAVE water heater has been internationally certified for safety standards by TÜV SÜD.



ELCB (Earth Leakage Circuit Braker)

With ELCB Test Bar* — new test button for easier use. *Designed and patented by MEX.



ADVANCE ENGINEERING DESIGN

Clearly separates the water-system module from the electrical module for maximum safety.

E1 - E6

ERROR CODE NOTIFICATION

Increased safety with an Error Code system alerting when abnormalities occur with the water heater or incomplete installation.



IP25

Water-ingress protection system meeting IP25 safety standard, with fire and electric-shock protection for maximum safety.



CRAVE 45E (NE), (SA) | 4,500 W

- Power : 4,500 W
- Electricity : 220 V 50 Hz / 20.45 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9.5 X 35 cm
- Requires grounding and circuit breaker

COLOR : ● NE (Sapphire Black) | ● SA (Moonlight Silver)



CRAVE 35E (NE), (SA) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 22 X 9.5 X 35 cm
- Requires grounding and circuit breaker

COLOR : ● NE (Sapphire Black) | ● SA (Moonlight Silver)

Digital Water Heater

Quick Temperature Adjustment
with Just A Touch.



SMART ELECTRONIC CONTROL

Large DIGITAL display with special design. Select water temperature from 32–48 °C as desired.

Confident Touch Control,
Even with Wet Hands.



SAFE, SMOOTH TOUCH

Unit body is water-resistant per IP25 standard for maximum protection - smooth touch even when wet.

Make Every Shower
More Relaxing and Enjoyable.




AMBIENT LIGHT DESIGN

Ambient Light system illuminates the sides, indicating the operating status of the unit with soft, warm, romantic light.



Rain Shower set, 3-step
black shower head



3 matte-black
stainless hoses

CRAVE 6E (RDE) | 6,000 W

- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9.5 X 35 cm

COLOR : ● DE (Dark Emerald)



CRAVE 45E (MR) | 4,500 W

- Power : 4,500 W
- Electricity : 220 V 50 Hz / 20.45 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9.5 X 35 cm

COLOR : ● MR (Metallic Red)

MEX

Water Heater

CUBE SERIES

"Add a touch of luxury to your bathroom with CUBE SERIES water heaters that emphasise Minimal Style design, blending luxury and simplicity perfectly — so beautiful you can't help yourself."



The CUBE water heater has been internationally certified for safety standards by TÜV SÜD.



CUBE 5E (MB) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ● MB (Black)

CUBE 35E (MB) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ● MB (Black)



CUBE 5E (TI) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ● TI (Titanium)

CUBE 35E (TI) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ● TI (Titanium)



CUBE 5E (WH) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ○ WH (White)

CUBE 35E (WH) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ○ WH (White)

ACCESSORIES INCLUDED



- Slide Bar set with soap holder
- 5-step shower head
- 2 stainless steel hoses



ERROR NOTIFICATION

Safer operation with automatic wiring and grounding checks, plus abnormality alerts.



HALL EFFECT SENSOR*

Flow sensor that maintains stable water temperature even in low-pressure conditions.

*Technology by MEX.

MEX

Explore the innovation behind the water heater.

RAIN SHOWER

"Experience a superior showering experience with the relaxation of a Rain Shower stream — through a distinctive design ready to complete your moments of rest."



ACCESSORIES

- Rain Shower set
- 3-step black shower head
- 3 matte-black stainless hoses



Rain Shower set,
3-step black
shower head



3 matte-black
stainless hoses



CUBE 6E (RMB) | 6,000W

- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm



The CUBE water heater has been internationally certified for safety standards by TÜV SÜD.

COLOR : ● RMB (Black)



CODE 6E (RMB) | 6,000 W

- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 21.1 X 7.4 X 35.6 cm
- Requires grounding and circuit breaker



The CODE water heater has been internationally certified for safety standards by TÜV SÜD.

COLOR : ● RMB (Black)



CUBE 6E (MB)S | 6,000W

- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 22 X 9 X 29 cm

COLOR : ● MB (Black)

(*Shower set not included)



CODE 6E (MB)S | 6,000 W

- Power : 6,000 W
- Electricity : 220 V 50 Hz / 27.27 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 21.1 X 7.4 X 35.6 cm
- Requires grounding and circuit breaker

COLOR : ● MB (Black)

(*Shower set not included)

ERROR NOTIFICATION



Safer operation with automatic wiring and grounding checks, plus abnormality alerts.

HALL EFFECT SENSOR*



Flow sensor that maintains stable water temperature even in low-pressure conditions.

*Technology by MEX.

MEX

Water Heater

CODE SERIES

"Let you bathe in warmth and add freshness to your skin with CODE - a modern-design water heater that won the Demark Design Excellence Award 2013."



**Design
Excellence
Award 2013**



The CODE water heater has been internationally certified for safety standards by TÜV SÜD.



CODE 5E (MB) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 21.1 X 7.4 X 35.6 cm
- Requires grounding and circuit breaker

COLOR : ● MB (Black)

CODE 35E (MB) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 21.1 X 7.4 X 35.6 cm
- Requires grounding and circuit breaker

COLOR : ● MB (Black)



CODE 5E (SA), (OA) | 5,100 W

- Power : 5,100 W
- Electricity : 220 V 50 Hz / 23.18 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 21.1 X 7.4 X 35.6 cm
- Requires grounding and circuit breaker

COLOR : ● SA (Silver Bronze) | ● OA (Gold Bronze)



CODE 35E (SA), (OA) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 21.1 X 7.4 X 35.6 cm
- Requires grounding and circuit breaker

COLOR : ● SA (Silver Bronze) | ● OA (Gold Bronze)

ACCESSORIES INCLUDED



- Slide Bar set with soap holder
- 3-step Chrome shower head
- 2 stainless steel hoses

ERROR NOTIFICATION



Safer operation with automatic wiring and grounding checks, plus abnormality alerts.

HALL EFFECT SENSOR*



Flow sensor that maintains stable water temperature even in low-pressure conditions.

*Technology by MEX.

MEX

Water Heater

COCO SERIES

"A rounded-shape water heater design — beautiful, compact, space-saving, easy to install in the bathroom, with a unique control knob that expresses your own distinctive style."



The COCO water heater has been internationally certified for safety standards by TÜV SÜD.



COCO 450 (MLB) | 4,500 W

- Power : 4,500 W
- Electricity : 220 V 50 Hz / 20.45 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 18.8 x 7.5 x 29.8 cm

COLOR : ● MLB (Black)



COCO 350 (MLB) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 18.8 x 7.5 x 29.8 cm

COLOR : ● MLB (Black)



Matte Black stainless steel shower head and hose



ACCESSORIES INCLUDED

- Slim Slide Bar set
- 3-step shower head
- 2 stainless steel hoses



FLOW SWITCH SENSOR

Precision flow sensor that cuts off the unit immediately when water flow is low.



COCO 450 (MRA), (MRB) | 4,500 W

- Power : 4,500 W
- Electricity : 220 V 50 Hz / 20.45 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 18.8 x 7.5 x 29.8 cm

COLOR : ● MRA (White/Gold) | ● MRB (White/Pink)



COCO 350 (MRA), (MRB) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 18.8 x 7.5 x 29.8 cm

COLOR : ● MRA (White/Purple) | ● MRB (White/Blue)



ACCESSORIES INCLUDED

- Slim Slide Bar set
- 3-step Chrome shower head
- 2 stainless steel hoses



FLOW SWITCH SENSOR

Precision flow sensor that cuts off the unit immediately when water flow is low.

MEX

New Minimal Design Water Heater

COCO S SERIES

""Transform your bathroom look beautifully and simply. Saves installation space with **COCO S** — packed with quality functions at an affordable price."



The COCO S water heater has been internationally certified for safety standards by TÜV SÜD.



COCO S45 (MB) | 4,500 W

- Power : 4,500 W
- Electricity : 220 V 50 Hz / 20.45 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 18.8 X 7.5 X 29.8 cm

COLOR : ● MB (Black)



COCO S35 (MB) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 18.8 X 7.5 X 29.8 cm

COLOR : ● MB (Black)



ACCESSORIES INCLUDED

- 3-step shower head
- 1 PVC hose



FLOW SWITCH SENSOR

Precision flow sensor that cuts off the unit immediately when water flow is low.



COCO S45 (WH) | 4,500 W

- Power : 4,500 W
- Electricity : 220 V 50 Hz / 20.45 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 4.0 mm² (THW)
- Product Size : 18.8 X 7.5 X 29.8 cm

COLOR : ○ WH (White)



COCO S35 (WH) | 3,500 W

- Power : 3,500 W
- Electricity : 220 V 50 Hz / 15.91 A
- Flow Rate : 3.5 Litres/min
- Min. Inlet Pressure : 0.2 Bar
- Wire Size : 3 x 2.5 mm² (THW)
- Product Size : 18.8 X 7.5 X 29.8 cm

COLOR : ○ WH (White)



ACCESSORIES INCLUDED

- 3-step shower head
- 1 PVC hose



FLOW SWITCH SENSOR

Precision flow sensor that cuts off the unit immediately when water flow is low.



14

Water Dispenser

New! Water Dispenser by MEX — more than just quality water dispensing. Standing out with a minimalist design suited to homes and offices, it comes with a reserve water bottle storage cabinet. Easily choose from 2 temperatures — hot water for tea/coffee and cold water for refreshment and relaxation throughout the day. It also features a safety button for dispensing hot water, adding another layer of safety for users.

Water Dispenser

Top Loading

MEX



- Room Temp.
- Cold



Design Slim



- Hot
- Cold



13-Liter
Storage
Space



- Room Temp.
- Hot
- Cold



17-Liter
Storage
Space

ME314-T

- 2-spout dispenser (room temperature, cold) with glass-push operation
- Rapid cooling via compressor system using R134A non-CFC refrigerant
- High-grade 304 stainless steel water tank, rust-free
- LED indicator buttons showing unit operating status
- Slim minimalist design to save space

Technical Specifications

- Cooling Power : 100 W
- Min. Cold Water Temp. : $\leq 10^{\circ}\text{C}$
- Cold Water Tank Capacity : 3 Litres
- Weight : 13.9 kg
- Product Size : $24.7 \times 30.3 \times 108.6$ cm
- Warranty 1 year (compressor 5 years)

(*excludes water bottle)

ME509-T

- 2-spout dispenser (hot, cold) with top-loading bottle
- 2-level safety system against abnormal overheating
- Child lock safety button on hot water spout
- Rapid cooling via compressor using R134A non-CFC refrigerant
- High-quality stainless steel hot water tank
- Lower storage cabinet, 13-litre capacity

Technical Specifications

- Heating Power : 420 W
- Cooling Power : 85 W
- Max. Hot Water Temp. : $\geq 90^{\circ}\text{C}$
- Min. Cold Water Temp. : $\leq 10^{\circ}\text{C}$
- Hot Water Tank Capacity : 0.8 litres
- Cold Water Tank Capacity : 2.8 litres
- Weight : 13.6 kg
- Product Size : $26 \times 33 \times 101$ cm
- Warranty 1 year (compressor 5 years)

(*excludes water bottle)

ME602-T

Coming
Soon

- 3-spout piano-button dispenser (hot, cold, room temperature) with top-loading bottle
- 2-level safety system; Child lock on hot water spout
- High-quality stainless steel hot water tank
- Rapid cooling via compressor using R600A non-CFC refrigerant
- Lower storage cabinet, 17-litre capacity

Technical Specifications

- Heating Power : 500 W
- Cooling Power : 85 W
- Max. Hot Water Temp. : $\geq 90^{\circ}\text{C}$
- Min. Cold Water Temp. : $\leq 10^{\circ}\text{C}$
- Hot Water Tank Capacity : 1.1 litres
- Cold Water Tank Capacity : 3.2 litres
- Weight : 15.2 kg
- Product Size : $31 \times 36.5 \times 103$ cm
- Warranty 1 year (compressor 5 years)

(*excludes water bottle)

Water Dispenser

Bottom Loading

MEX



- Hot
- Cold



Easy Push Paddle



Bottom-loading design
for the water tank.

ME530-B

- 2-spout dispenser (hot, cold) with bottom-loading bottle
- 2-level safety system against abnormal overheating
- Child lock safety button on hot water spout
- High-quality stainless steel hot water tank
- Rapid cooling via compressor using R134A non-CFC refrigerant
- Minimalist design to save space
- LED signal system alerts when water runs out

Technical Specifications

- Heating Power : 500 W
- Cooling Power : 85 W
- Max. Hot Water Temp. : $\geq 90^{\circ}\text{C}$
- Min. Cold Water Temp. : $\leq 10^{\circ}\text{C}$
- Hot Water Tank Capacity : 1.1 litres
- Cold Water Tank Capacity : 3.2 litres
- Weight : 15.2 kg
- Product Size : 30 × 39.5 × 111 cm
- Warranty 1 year (compressor 5 years)

(*excludes water bottle)



- Room Temp.
- Hot
- Cold



Stainless Design



Piano Button

ME607-B

NEW
ARRIVAL

- 3-spout piano-button dispenser (hot, cold, room temperature) with bottom-loading bottle
- 2-level safety system; Child lock on hot water spout
- High-quality stainless steel hot water tank
- Rapid cooling via compressor using R600A non-CFC refrigerant
- LED signal system alerts when water runs out



Bottom-loading design
for the water tank.

Technical Specifications

- Heating Power : 500 W
- Cooling Power : 85 W
- Max. Hot Water Temp. : $\geq 90^{\circ}\text{C}$
- Min. Cold Water Temp. : $\leq 10^{\circ}\text{C}$
- Hot Water Tank Capacity : 1.1 litres
- Cold Water Tank Capacity : 3.2 litres
- Weight : 14.2 kg
- Product Size : 31 × 34.2 × 103.5 cm
- Warranty 1 year (compressor 5 years)

(*excludes water bottle)

15

Household Water Filter

Household water filter

for general-use water and as a pre-treatment stage before drinking water purifiers. Suitable for every family that cares about health and quality of life.

High-Quality Filter Media — Complete Solutions



Sand Filter

Filters dust, sediment, turbidity at 30-micron precision



Carbon Filter

Filters colour, odour, taste, chlorine, and unwanted chemicals



Birm Filter

Removes dissolved iron, manganese, and hydrogen sulphide from water



Resin Bead

Reduces hardness, prevents scale build-up



Salt Tablet

Used to regenerate resin and restore peak water-treatment performance

Smart, Sustainable Water Solutions. FOR LIFE.



Household Water Filter

High-Quality Automatic Automatic



Hydra Smart : Smart Carbon Filter For Homes



Carbon
Filters chlorine,
odor, color,
and TOC

PCFE54P12 : Activated Carbon

- Automatic household water filter
- Hydra Smart with touchscreen and Regenerate function
- Filters chlorine, toxic chemicals, colour, odour, and unwanted taste; includes KDF media
- Suitable for : Large homes, 3–4 bathrooms
- Warranty 1 year

Technical Specifications

- Flow Rate : 2.7 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter × 54" height
- Control Valve : Model 363TC (Autotrol) by Pentair
- Power : 220 V / 50 Hz
- Filter Media : Activated Carbon

(Free installation)



Saves costs



Shower comfortably



Reduces white residue and keeps clothes clean and bright.



Extends the durability of household equipment



Eco-friendly

Hydra Smart : 8-Stages Smart Water Softening



PWCE54P12 : Water Softener

- Automatic water softener
- Hydra Smart with 8-stage Regenerate cycle (standard is 5 stages)
- Reduces water hardness and scale; reduces laundry detergent use; reduces bathroom stains; softens skin and hair
- Suitable for : Large homes, 3–4 bathrooms
- Warranty 1 year

Technical Specifications

- Flow Rate : 3.0 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter × 54" height + 80-litre brine tank
- Control Valve : Model 368 (Autotrol) by Pentair
- Power : 220 V / 50 Hz
- Filter Media : Resin Bead

(Free installation)

Resin
Reduces
limescale

Free!
Tablet
Salt
25KG



Saves costs



Shower comfortably



Reduces white residue and keeps clothes clean and bright.



Extends the durability of household equipment



Eco-friendly

Tank Size 10 × 54: Large Homes

Household Water Filter

High-Quality Automatic

Tank Size 12 x 52: Large Homes



Control Valve :
BR-AFT Model (Automatic
System) by Pentair

*1-year product warranty

PS-1252BR-AFT : Sand Filter

- Filters particles down to 30 microns
- Traps coarse sediment, gravel, stone, soil, clay, and large suspended matter.
- Suitable for : Large homes, 3–4 bathrooms and areas with water quality issues

**Sand
Sediment
Filter**

Technical Specifications

- Flow Rate : 1.4 - 1.67 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 12" diameter x 52" height + 80-litre brine tank
- Control Valve : Model BR-AFT (Autotrol) by Pentair
- Power : 220 V / 50 Hz
- Filter Media : Sand Filter

(Free installation)

PC-1252BR-AFT : Activated Carbon

- Filters chlorine, toxic chemicals
- Removes unwanted colour, odour, and taste.
- Suitable for : Large homes, 3–4 bathrooms and areas with water quality issues

Carbon
Filters chlorine,
odor, color,
and TOC

Technical Specifications

- Flow Rate : 1.4 - 1.67 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 12" diameter x 52" height + 80-litre brine tank
- Control Valve : Model BR-AFT (Autotrol) by Pentair
- Power : 220 V / 50 Hz
- Filter Media : Activated Carbon

(Free installation)

PB-1252BR-AFT : Birm Filter

- Filters dissolved iron and manganese
- Reduces rust stains in sinks, bathtubs, toilets, and on clothing.
- Suitable for : Large homes, 3–4 bathrooms and areas with water quality issues

**Birm
Iron
Filtration**

Technical Specifications

- Flow Rate : 1.4 - 1.67 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 12" diameter x 52" height + 80-litre brine tank
- Control Valve : Model BR-AFT (Autotrol) by Pentair
- Power : 220 V / 50 Hz
- Filter Media : Birm Filter

(Free installation)



Control Valve :
BR-XSM Model (Automatic
System) by Pentair

*1-year product warranty

PR-1252BR-XSM : Water Softener

- Reduces water hardness and scale
- Reduces laundry detergent use
- Reduces bathroom stains; softens skin and hair
- Suitable for : Large homes, 3–4 bathrooms

**Resin
Reduces
limescale**

Technical Specifications

- Flow Rate : 1.4 - 1.78 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 12" diameter x 52" height + 100-litre brine tank
- Control Valve : Model BR-XSM (Autotrol) by Pentair
- Power : 240 V / 50 Hz
- Filter Media : Resin Bead

(Free installation)

Free!
Tablet
Salt
25KG



Household Water Filter

High-Quality Automatic

MEX

Tank Size 10 x 54: Large Homes



Control Valve :
AF4-LCD Model (Automatic
System) by MEX

*1-year product warranty

APS-1054-ELCD : Sand Filter

- Filters particles down to 30 microns
- Traps coarse sediment, gravel, stone soil, clay
- Suitable for: Medium homes, 2-3 bathrooms

Sand
Sediment
Filter

Technical Specifications

- Flow Rate : 1 - 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height
- Control Valve : Model AF4-LCD (Autotrol) by MEX
- Power : AC 100-240 V / 50-60 Hz
- Filter Media : Sand Filter

(Free installation)

APC-1054-ELCD : Activated Carbon

- Filters chlorine and toxic chemicals
- Removes unwanted colour, odour and taste
- Suitable for: Medium homes, 2-3 bathrooms

Carbon
Filters chlorine,
odor, color,
and TOC

Technical Specifications

- Flow Rate : 1 - 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height
- Control Valve : Model AF4-LCD (Autotrol) by MEX
- Power : AC 100-240 V / 50-60 Hz
- Filter Media : Activated Carbon

(Free installation)

APB-1054-ELCD : Birm Filter

- Filters dissolved iron and manganese
- Reduces rust stains in sinks, bathtubs and on clothing
- Suitable for: Medium homes, 2-3 bathrooms

Birm
Iron
Filtration

Technical Specifications

- Flow Rate : 1 - 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height
- Control Valve : Model AF4-LCD (Autotrol) by MEX
- Power : AC 100-240 V / 50-60 Hz
- Filter Media : Birm Filter

(Free installation)



Control Valve :
ASD4-LCD Model (Automatic
System) by MEX

*1-year product warranty

APR-1054-ELCD : Water Softener

- Reduces water hardness and scale
- reduces laundry detergent and soap use, softens skin and hair.
- Suitable for: Medium homes, 2-3 bathrooms

Resin
Reduces
limescale

Technical Specifications

- Flow Rate : 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height + 100-litre brine tank
- Control Valve : Model ASD4-LCD (Autotrol) by MEX
- Power : AC 100-240 V / 50-60 Hz
- Filter Media : Resin Bead

(Free installation)

Free!
Tablet
Salt
25KG



Household Water Filter

Automatic

MEX

Tank Size 10 x 44 : Small Homes



Control Valve :
AF4-LCD Model (Automatic
System) by MEX

*1-year product warranty

APS-1044-ELCD : Sand Filter

- Filters particles down to 30 microns
- Traps coarse sediment, gravel, stone, soil, clay
- Suitable for : Small homes, 2 bathrooms

**Sand
Sediment
Filter**

Technical Specifications

- Flow Rate : 1 - 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height
- Control Valve : Model AF4-LCD (Autotrol) by MEX
- Power : 100-240 V / 50-60 Hz
- Filter Media : Sand Filter

(Free installation)



Control Valve :
AF4-LCD Model (Automatic
System) by MEX

*1-year product warranty

APC-1044-ELCD : Activated Carbon

- Filters chlorine and toxic chemicals
- Removes unwanted colour, odour, and taste
- Suitable for : Small homes, 2 bathrooms

Carbon
Filters chlorine,
odor, color,
and TOC

Technical Specifications

- Flow Rate : 1 - 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height
- Control Valve : Model AF4-LCD (Autotrol) by MEX
- Power : 100-240 V / 50-60 Hz
- Filter Media : Activated Carbon

(Free installation)



Control Valve :
ASD4-LCD Model (Automatic
System) by MEX

*1-year product warranty

APR-1044-ELCD : Water Softener

- Reduces water hardness and scale
- reduces soap and detergent use; softens skin and hair
- Suitable for : Small homes, 2 bathrooms

Resin
Reduces
limescale

Technical Specifications

- Flow Rate : 1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height + 25-litre brine tank
- Control Valve : Model ASD4-LCD (Autotrol) by MEX
- Power : 100-240 V / 50-60 Hz
- Filter Media : Resin Bead

(Free installation)

Free!
Tablet
Salt
25KG



Household Water Filter

Automatic



Tank Size 8 x 44: Small Homes



0844-363TC-AC : Activated Carbon

- Automatic Home Water Filtration System
- Removes unwanted colour, odour, and taste
- Suitable for : Small homes, 2 bathrooms

*1-year product warranty

Technical Specifications

- Flow Rate : 0.4 - 0.6 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 8" diameter x 44" height
- Control Valve : Model 363TC (Autotrol) by Pentair
- Power : 220 V / 50Hz
- Filter Media : Activated Carbon

(Free installation)



0844-366TC-SOFT : Water Softener

- Automatic Home Water Filtration System
- Reduces water hardness and scale
- Reduces soap and detergent use; softens skin and hair
- Suitable for : Small homes, 1-2 bathrooms

*1-year product warranty

Technical Specifications

- Flow Rate : 0.6 - 0.9 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 8" diameter x 44" height + 25-litre brine tank
- Control Valve : Model 363TC (Autotrol) by Pentair
- Power : 220 V / 50Hz
- Filter Media : Resin Bead

(Free installation)



Free!
Tablet
Salt
25KG



TRIPS & TRICKS : Water Filter Installation Guidelines


- Please read the installation manual carefully before installing and operating the water filtration system.
- Always check the water quality before purchasing a water filter to ensure you select the most suitable and effective filtration system for your needs.
- The installation area should be on a flat and level surface, away from direct sunlight, and close to a drain outlet.
- The water filtration system should be installed on the floor and positioned no higher than 20 feet (6.1 meters) from the drain outlet.
- The drain hose should be elevated, with the end of the hose positioned lower than the control valve level.
- Secure the end of the drain hose to prevent movement.
- The water filtration system should be replaced at a maximum interval of every 10 years, or according to the product's service life, depending on installation area, usage conditions, and maintenance.
- It is recommended to record the installation date or replacement date of components as a reminder for future maintenance.
- The filter tank must always be placed upright. Do not lay it horizontally or tip it over, as filter media may enter the control valve.
- The water filtration system is covered by a 1-year (12-month) product warranty, excluding normal wear and tear.

Household Water Filter

เครื่องกรองน้ำใช้ในบ้าน ระบบ Manual :
ทำความสะอาดสารกรองด้วยตนเอง

MEX

Tank Size 10" x 54" : Medium Homes



Control Valve :
BNT-631M(T) Model (Manual
System) by MEX

*1-year product warranty

MPS-1054-R : Sand Filter


- Filters particles down to 30 microns
- Traps coarse sediment, gravel, stone, soil, clay
- Suitable for : Medium homes, 2-3 bathrooms

Technical Specifications

- Flow Rate : 3 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height
- Control Valve : Model BNT-631M(T) (Manual) by MEX
- Filter Media : Sand Filter

(Free installation)

**Sand
Sediment
Filter**



Control Valve :
BNT-631M(T) Model (Manual
System) by MEX

*1-year product warranty

MPC-1054-R : Activated Carbon

- Filters chlorine, toxic chemicals
- Removes unwanted colour, odour, and taste
- Suitable for : Medium homes, 2-3 bathrooms

Technical Specifications

- Flow Rate : 3 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height
- Control Valve : Model BNT-631M(T) (Manual) by MEX
- Filter Media : Activated Carbon

(Free installation)

Carbon
Filters chlorine,
odor, color,
and TOC



Control Valve :
MSDU2-H-C Model
(Manual System) by MEX

*1-year product warranty

MPR-1054-H : Water Softener

- Reduces water hardness and scale
- Reduces soap and detergent use; softens skin and hair
- Suitable for : Medium homes, 2-3 bathrooms

Technical Specifications

- Flow Rate : 2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 54" height
- Control Valve : Model MSDU2-H-C (Manual) by MEX
- Filter Media : Resin Bead

(Free installation)

Resin
Reduces
limescale

Free!
Tablet
Salt
25KG



Household Water Filter

เครื่องกรองน้ำใช้ในบ้าน ระบบ Manual :
ทำความสะอาดสารกรองด้วยตนเอง

MEX

Tank Size 10 x 44 : Small Homes, For Tap Water Only



Control Valve :
BNT111 Model (Manual
System) by MEX

*1-year product warranty

MPS-1044-P : Sand Filter

- Filters particles down to 30 microns
- Traps coarse sediment, gravel, stone, soil
- Suitable for : Small homes, 2 bathrooms

**Sand
Sediment
Filter**

Technical Specifications

- Flow Rate : 1-1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height
- Control Valve : Model BNT111 (Manual) by MEX
- Filter Media : Sand Filter

(Free installation)

MPCS-1044-P : Sand + Activated Carbon

- Filters particles down to 30 microns AND chlorine, toxic chemicals
- Removes colour, odour, and taste
- Suitable for : Small homes, 2 bathrooms

**Sand Filter
Media +
Carbon**

Technical Specifications

- Flow Rate : 1-1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height
- Control Valve : Model BNT111 (Manual) by MEX
- Filter Media : Sand Filter + Activated Carbon

(Free installation)

MPC-1044-P : Activated Carbon


- Filters chlorine, toxic chemicals
- Removes unwanted colour, odour, and taste
- Suitable for : Small homes, 2 bathrooms

Carbon
Filters chlorine,
odor, color,
and TOC

Technical Specifications

- Flow Rate : 1-1.2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height
- Control Valve : Model BNT111 (Manual) by MEX
- Filter Media : Activated Carbon

(Free installation)



Control Valve :
MSDU2-H-C Model
(Manual System) by MEX

*1-year product warranty

MPR-1044-H : Water Softener

- Reduces water hardness and scale
- Reduces soap and detergent use, softens skin and hair
- Suitable for : Small homes, 2 bathrooms

Resin
Reduces
limescale

Technical Specifications

- Flow Rate : 2 m³/hour
- Tank Material : Structural FRP (high-quality)
- Tank Size : 10" diameter x 44" height
- Control Valve : Model MSDU2-H-C (Manual) by MEX
- Filter Media : Resin Bead

(Free installation)

Free!
Tablet
Salt
25KG



Household Water Filter



BIG BLUE system

High-quality BIG BLUE filter system from PENTAIR, designed for home use where high flow rates are required. Multiple filter cartridge options available: coarse filter, fine filter, chemical/chlorine filter, and iron filter.

BIG BLUE size 20" Suitable for small or medium homes using tap water only.

BB20-R30

30
Micron



- 30-micron pleated polyester filter
- Washable and reusable
- 76 L/min
- Max. 6.2 bar

Filter Cartridge R30-20BB

BB20-DGD5005

5
Micron



- 5-micron dual-layer polypropylene filter
- 233% longer life
- 76 L/min
- Max. 6.2 bar

Quality
Inspection
SCAN
HERE



Filter Cartridge DGD5005-20BB

Filter Cartridge DGD2501-20BB

BB20-RFC

Carbon

Filters chlorine,
odor, color,
and TOC



- Granular Activated Carbon
- Filters chemical/chlorine, colour, odour, taste
- 15.2 L/min
- 378,541 L capacity
- Max. 6.2 bar

Quality
Inspection
SCAN
HERE



Filter Cartridge RFC-20BB

Filter Cartridge CFB PLUS-20BB

BB20-RFFE20

Birm
Iron
Filtration



- Birm filter
- Removes dissolved iron up to 3 ppm
- Reduces rust stains
- 31.67 L/min
- Max. 6.2 bar

Filter Cartridge RFFE-20BB

Salt Tablets : For Water Filter Systems



For industrial use

High-purity SALT TABLETS for directly regenerating resin filter media. Lower calcium (Ca) and magnesium (Mg) than standard purification salt - extends resin service life

- NaCl purity $\geq 99.8\%$
- Certified to European standard EN 973 A
- No dirt, stone, sand, or clay
- Residue after dissolving
- Pack size: 10 kg.

Specification :


Parameters	Sales guarantees
Sodium chloride (NaCl)	$\geq 99.8\%$
Moisture Content	$\leq 0.6\%$
Water-Insoluble Matter	$\leq 0.05\%$
Ca2 + Mg2	≤ 20 ppm
Pb	≤ 1.0 ppm
As	≤ 0.3 ppm
Cd	≤ 0.5 ppm
Hg	≤ 0.1 ppm
Cr	≤ 0.5 ppm
Ni	≤ 0.5 ppm
Sb	≤ 2.0 ppm
Se	≤ 2.0 ppm
Br	≤ 150 ppm

16

Drinking Water Purifier

Enjoy next level of taste of water

Professional-quality drinking water purifiers from South Korea. Designed using Nanofiltration technology with greatly enhanced filtration efficiency — capable of filtering contaminants down to 0.01–0.001 microns, filtering viruses and bacteria up to 99.99%, removing suspended matter, unwanted chemicals, and microorganisms from the water completely.



Protecting Families with Safe & Healthy Water

Sterilization function at the faucet enhances long-term safety and hygiene.



The first drinking water filtration system with a faucet sterilization function.



Helps prevent residue buildup and bacterial growth on the faucet.



CP-WN601HW

Nano
System

0.001
Micron



- Countertop NANO drinking water purifier, plug-in type
- 3-function dispensing: cold water, hot water, and room-temperature water
- 5-level adjustable cold water temperature via rotary knob
- Child lock on hot water button for child safety
- LED indicator lights showing unit operating status
- Rapid cooling via compressor using R134A non-CFC refrigerant
- Sterilization function at the water dispenser tap
- Free! Sterilization Cup for the dispenser tap
- Filters contaminants down to 0.01–0.001 microns

- 4-Stage Filtration:
 - Stage 1 : Sediment Filter - removes contaminants from water
 - Stage 2 : Pre-Carbon (Carbon Block) - filters colour, odour, taste, heavy metals (mercury, lead)
 - Stage 3 : Natural Plus Filter 2.0 - filters colour, odour, taste, heavy metals
 - Stage 4 : Nano Positive Filter 3.0C - effectively removes heavy metals and microorganisms

Technical Specifications

- Hot Water Tank Capacity : 1.4 litres
- Cold Water Tank Capacity : 2.8 litres
- Room-Temp Tank Capacity : 1.0 litre
- Water Pressure : 0.5–3.9 bar
- Power Supply : 220–240 V, 60 Hz
- Total Power : 450 W

(Free installation + 1-year filter replacement service)



**Filter Cartridge
SEDIMENT FILTER**

Replace every 4 months



**Filter Cartridge
Pre-Carbon Filter**

Replace every 8 months



**Filter Cartridge
Natural Plus Filter 2.0**

Replace every 12 months



**Filter Cartridge
Nano Positive Filter 3.0C**

Replace every 12 months

Drinking Water Purifier

Nano Filtration

CUCKOO
By MEX

CP-U011B

Nano
System

0.001
Micron



- Countertop NANO drinking water purifier, plug-in type
- Filters contaminants down to 0.01–0.001 microns
- 3-stage filtration
 - Stage 1 : Dual Sediment
 - Stage 2 : Natural Plus Filter 2.0
 - Stage 3 : Nano Positive Filter 3.0C

- Flow rate: 1.1 L/min
- Water pressure: 1.5–6.9 bar
- Capacity: 6,000 litres
- Power: 220–240 V, 50 Hz
- Only 14 W
- Can connect to external tap (sold separately)

(Free installation + 1-year filter replacement service)



**Filter Cartridge
Dual
Sediment
Filter**
Replace every
4 months



**Filter Cartridge
Natural Plus
Filter 2.0**
Replace every
8 months



**Filter Cartridge
Nano Positive Plus
Filter 3.0C**
Replace every
12 months

MN 021W

Nano
System

0.001
Micron



- Countertop Nano drinking water purifier, plug-in type
- Filters contaminants down to 0.01–0.001 microns
- 5-stage filtration
 - Stage 1: PP Sediment
 - Stage 2-4 : Natural Plus (Carbon Block) ×3 with Mineral Ball
 - Stage 5 : Nano Positive

- Flow rate: 1.1 L/min
- Pressure: 1.5–6.9 bar
- Capacity: 3,600 litres
- Power: 220–240 V, 50 Hz
- Only 14.5 W
- Can connect to external tap (sold separately)

User Guide
VIDEO
SCAN HERE



**Filter Cartridge
Sediment
Filter**
Replace every
4 months



**Filter Cartridge
Natural Plus
Filter**
Replace every
8 months



**Filter Cartridge
Nano Positive Plus
Filter**
Replace every
12 months

Drinking Water Purifier

Reverse Osmosis (RO)



T600



- Under-counter drinking water purifier
 - Double-Checking System "Smart filter status alert at both the dispenser tap and the unit body"
 - Quick-connect filter for easy replacement
 - Filters particles from 0.0001 microns upward; reduces TDS level by up to 96.8%
 - No storage tank - saves installation space
 - 3-stage filtration
 - Stage 1 : CF FILTER (Composite : PP + Coconut shell Activated Carbon 5 µm)
 - Stage 2 : ROM-24M CART (RO MEMBRANE 0.0001 µm)
 - Stage 3 : CB FILTER (Carbon Block)
 - Filter Rate : 1.57 L/min (600 GPD)
 - Pure Water Production 57.5% : 1.04 L/min
 - Water Pressure : 10–60 psi (0.69–4.14 bar)
 - Max. TDS / Hardness : < 2,000 ppm / < 170 ppm
- (Free installation + 1-year filter replacement service)

Double-Checking System

Smart RO filter indicator system displayed on both the machine and faucet.

Blue status light

Filter lifespan indicator showing over 15 days or 150 liters of remaining usage.

Purple status light

Displays the filter lifespan status when less than 15 days or under 150 liters of usage remain. The system emits 2 beep alerts during water production (0.3-second beep with a 1-second interval).

Red status light

Indicates that the filter lifespan has expired, with beep alerts during water production (0.3-second beep with a 1-second interval).

TDS Level Indicator Light

- Blue status light : Shows TDS levels < 100 ppm
- Purple status light : Shows TDS levels > 100 but < 150 ppm
- Red status light : Shows TDS levels > 150 ppm

Displays the lifespan status of the RO filter and drinking water faucet.


Displays the lifespan status of the CB filter.

Displays the lifespan status of the CF filter.



Reverse Osmosis (RO) System

3-stage filtration / 0.0001-micron ultra-fine filtration



Drinking Water Purifier

Reverse Osmosis (RO)



GRO-50 SYSTEM



- Improved GREEN RO system - pure water to waste water ratio 1:1
- Filters impurities as small as 0.0001 micron.
- 5-stage filtration
 - Stage 1 : PP sediment
 - Stage 2 : GAC-10
 - Stage 3 : EPM-10
 - Stage 4 : GRO-50EN (0.0001 µm)
 - Stage 5 : Inline Post Carbon (GS-10RO)
- Filter rate: 0.14 L/min (50 GPD)
- Pressurised storage tank: 10 litres



- The GRO-50EN filter is certified to NSF/ANSI Std. 58 (Component).
- The GAC-10, EPM-10, and Inline Post Carbon filters are certified to NSF/ANSI No. 42 (Component).

Filter Cartridge C255430-49L

Filters water contaminants down to 5 microns.



Filter Cartridge GAC-10



Reduces unwanted odor, color, and taste.



Filter Cartridge EPM-10



Filters organic substances and improves water quality.



Filter Cartridge GRO-50EN



Effectively filters minerals and limescale.



Filter Cartridge Inline Post Carbon (GS-10RO)



Improves water taste for a cleaner, fresher flavor.



X-Stream R075



- Counter-top or wall-mounted RO drinking water purifier
- Filters impurities as small as 0.0001 micron.
- 6-stage filtration
 - Stage 1 : PP Sediment
 - Stage 2 : Carbon Block
 - Stage 3 : Resin
 - Stage 4 : RO Membrane (0.0001 µm)
 - Stage 5 : Inline Carbon Block
 - Stage 6 : Inline GAC
- Filter rate: 0.2 L/min (75 GPD)
- Storage tank: 12 litres
- Double O-ring seal for high-pressure resistance
- Free! Stainless steel (lead-free) drinking water tap

Filter Cartridge PP10-XST Cart

Filters impurities down to 10 microns.



Filter Cartridge CTO-XST Cart

Reduces unwanted odor, color, and taste.



Filter Cartridge RESIN-XST Cart

Softens hard water and removes limescale and sediment from water.



Filter Cartridge RO-75GPD-XST Cart

Effectively filters minerals and limescale.



Filter Cartridge CTO Inline-XST Cart

Improves water taste for a cleaner, fresher flavor.



Filter Cartridge GAC Inline-XST Cart

Improves water taste for a cleaner, fresher flavor.



Drinking Water Purifier

เครื่องกรองน้ำดื่ม ระบบ Ultra Filtration (UF)

MEX

X-Stream UF



UF
System

0.01
Micron

- Wall-mounted UF drinking water purifier
- Filters impurities as small as 0.01 micron.
- 6-stage filtration
 - Stage 1 : PP Sediment
 - Stage 2 : Carbon Block
 - Stage 3 : Resin
 - Stage 4 : UF Membrane (0.1 µm)
 - Stage 5 : Inline Carbon Block
 - Stage 6 : Inline GAC
- Flow rate: 2.5 L/min
- Double O-ring seal
- Free! Stainless steel (lead-free) drinking water tap



Filter Cartridge PP05-XST Cart

Filters impurities down to 5 microns.



Filter Cartridge CTO-XST Cart

Reduces unwanted odor, color, and taste.



Filter Cartridge RESIN-XST Cart

Softens hard water and removes limescale and scale buildup.



Filter Cartridge UF-XST CART

Filters microorganisms, viruses, and bacteria.



Filter Cartridge CTO Inline-XST Cart

Improves water taste for a cleaner, fresher flavor.



Filter Cartridge GAC Inline-XST Cart

Improves water taste for a cleaner, fresher flavor.

M-Stream UF04



UF
System

0.2
Micron

- Wall-mounted 4-stage filter
 - Stage 1 : PP
 - Stage 2 : GAC
 - Stage 3 : UF Membrane (0.2 µm)
 - Stage 4 : Carbon Block (1 µm)
- Filters colours, odour, unwanted taste, chemicals, chlorine, lead, and microorganisms
- Flow rate: 3.8 L/min
- Water pressure: 2–6 bar
- Free! Lead-free drinking water tap



QUICK-CHANGE FILTER

No service charge for filter replacement.



NO TOOLS REQUIRED

No tools required for filter replacement.



Filter Cartridge S4-05 PP CART

(Sediment Filter)



Filter Cartridge S4-33 GAC CART

(Granular Activated Carbon Filter)



Filter Cartridge S4-HF CART

(UF Membrane Filter)



Filter Cartridge S4-CTO-1M CART

(Carbon Block Filter)

Drinking Water Purifier

Ultra Filtration (UF)



PRO-4


UF
System

0.15
Micron



- High-quality wall-mounted UF purifier with Hollow Fiber Membrane
- Filters bacteria, viruses, suspended matter, and cysts; Carbon Block absorbs chemicals and toxins
- Reduces bacteria to 99.9999% and viruses to 99.999%
- Flow rate: 3.8 L/min

- Capacity: 3,600 gallons (13,600 litres)
- Aluminium filter housing — durable and strong
- Free! Pre-Filter housing with CTS-100M high-quality cartridge + lead-free drinking water tap



Drinking Water Purifier

Micro Filtration (MF)

PBS-400

MF
System

0.5
Micron



- Designed specifically for use with a kitchen sink tap
- Filters contaminants to 0.5 microns (certified); removes cysts (certified)
- Filters colour, odour, and unwanted taste; filters chemicals, chlorine, and lead
- Reduces scale when boiling water via polyphosphate

- Flow rate: 8.3 L/min
- Capacity: 3,000 gallons (11,355 litres)
- Free! Pre-Filter housing + lead-free drinking water tap



Quality Inspection
NSF/ANSI No.42
NSF/ANSI No.53
CSA B483.1
SCAN HERE



H-104

MF
System

0.5
Micron




- High-quality wall-mounted purifier with MICROPURE technology + SUPER FINE CARBON
- Filters contaminants to 0.5 microns (certified); removes cysts (certified)
- Filters colour, odour, unwanted taste, chemicals, chlorine, and lead
- Reduces scale via polyphosphate | Aluminium filter housing

- Flow rate: 1.9 L/min
- Capacity: 1,000 gallons (3,780 litres)
- Free! Pre-Filter housing + lead-free drinking water tap



Quality Inspection
NSF/ANSI No.42
NSF/ANSI No.53
SCAN HERE



Drinking Water Purifier

Micro Filtration (MF)



F-3000-B2B



- 3-stage high-quality wall-mounted purifier
Stage 1 : PP (5 µm)
Stage 2 : Carbon Block (1 µm)
Stage 3 : Carbon Block (0.5 µm)
- Filters cysts (certified); filters colour, odour, taste, chemicals, chlorine, lead, pesticides, asbestos
- Flow rate: 2.27 L/min
- Capacity: 675 gallons (2,555 litres)
- Free! Lead-free drinking water tap

Quality Inspection
NSF/ANSI No.42
NSF/ANSI No.53
SCAN HERE



F-2100



- 2-stage high-quality wall-mounted or counter-top purifier
Stage 1 : PP (5 µm)
Stage 2 : Carbon Fiber Block (0.5 µm)
- Filters cysts; silver ion inhibits bacteria effectively
- Flow rate: 1.5 L/min
- Capacity: 750 gallons (2,839 litres)
- Free! Lead-free drinking water tap



CTD-100M



- Countertop or wall-mounted 2-stage purifier
Stage 1 : PP (5 µm)
Stage 2 : Carbon Fiber Block (0.5 µm)
- Silver ion addition inhibits bacteria; filters cysts, colour, odour, taste, chemicals, chlorine
- Flow rate: 6.4 L/min
- Capacity: 22,680 litres or up to 1 year



Drinking Water Purifier

Micro Filtration (MF)

MEX

M-Stream MF03



MF
System

1
Micron

- 3-stage wall-mounted purifier
 - Stage 1 : PP (5 µm)
 - Stage 2 : Carbon Block (1 µm)
 - Stage 3 : GAC + PP (1 µm)
- Filters contaminants to 1 micron; filters colour, odour, taste, chemicals, chlorine, lead
- Flow rate: 3.8 L/min
- Water pressure: 2–6 bar
- Free! NSF-certified lead-free drinking water tap



QUICK-CHANGE FILTER

No service charge for filter replacement.



NO TOOLS REQUIRED

No tools required for filter replacement.



S2-05 PP CART

(Sediment
Filter)



S2-CTO-1M CART

(Carbon Block
Filter)



S2-34 GAC+PP CART

(Carbon Filter and
Sediment Filter)



NFS INTERNATIONAL

Drinking water filtration system standards for the entire unit are certified and verified as follows

- 1) Safety of materials used in the water filter system.
- 2) Durability and strength in accordance with material standards used in the water filtration system.
- 3) Filtration performance, which is categorized into different types based on usage purposes and the type of water filtration system.



NSF/ANSI COMPONENT

Certifies filtration performance and material safety of individual filter components only (not the complete unit).

NSF/ANSI 42:

Physical filtration standard: checks efficiency in reducing contaminants, colour, odour, and taste — no health claims required.

Water filters certified to NSF International / ANSI Standard No. 42 include

- H-104
- H-300-NXT
- PBS-400
- SPA-400
- F-3000-B2B

NSF/ANSI No.53 :

Health standard: checks efficiency in reducing health-hazardous contaminants such as trihalomethanes, pesticides, toxic chemicals, and lead.

Water filters certified to NSF International / ANSI Standard No. 53 include

- H-104
- H-300-NXT
- PBS-400
- SPA-400
- F-3000-B2B

NSF/ANSI No.58:

Reverse Osmosis standard: checks efficiency in filtering minerals (TDS), heavy metals, and cysts.

Water filters certified to NSF International / ANSI Standard No. 58 include

- GRO-50 System (Component)

NSF/ANSI No. 61:

Health standard for fittings and components of water filters.

Water filters certified to NSF International / ANSI Standard No. 61 include

- BB20-DGD5005
- BB20-RFC
- BB10-DGD2501
- BB10-CFB PLUS

NSF/ANSI 401:

Standard for elimination of new contaminants such as pharmaceuticals/OTC drugs.

Water filters certified to NSF International / ANSI Standard No. 401 include

- H-300 NXT



SWITCH ON THE GOOD TIMES

CALL CENTER

Tel : 02-493-6565
Email : contact@penk.co.th

SERVICE CENTER

Tel : 02-493-6565
Email : servicecenter@penk.co.th
Line : @mexappliance



[f mexappliance](#)
[@ mexappliance](#)
[@mexappliance](#)
www.mex.co.th